

令和3年度 循環器内科学教室・不整脈先進治療学研究講座 英文論文

1. Kiani S, Wallace K, Stromberg K, Piccini JP, Roberts PR, El-Chami MF, Soejima K, Garweg C, Fagan DH, Lloyd MS : A Predictive Model for the Long-Term Electrical Performance of a Leadless Transcatheter Pacemaker . *JACC Clin Electrophysiol.*7(4):502-512. 2021 Apr DOI: 10.1016/j.jacep.2020.09.010. Epub 2020 Dec 24
2. Okishige K, Yamauchi Y, Nagase S, Kusano K, Miyamoto K, Ozawa T, Sawayama Y, Takeda H, Manita M, Asahi T, Miwa Y, Soejima K, Sasano T : Transcatheter cryo-ablation of septal accessory pathways, multicenter observational study in Japan. *J Cardiol.* 77(4):380-387. 2021 Apr. DOI: 10.1016/j.jjcc.2020.10.012. Epub 2020 Dec 17. PMID: 33342639.
3. Kitakata H, Katsumata Y, Kohsaka S, Sekine O, Kohno T, Sano M, Fukuda K : Patient Perspectives in the Era of Remote Medical Visits During the Coronavirus Disease (COVID-19) Pandemic - Insights From Outpatient Care of Cardiovascular Disease. *Circ Rep.* 3(5):300-303. 2021 Apr. DOI: 10.1253/circrep.CR-21-0039.
4. Miyama H, Shiraishi Y, Kohsaka S, Goda A, Nishihata Y, Nagatomo Y, Takei M, Fukuda K, Kohno T, Yoshikawa T : Abnormal Liver Function Tests and Long-Term Outcomes in Patients Discharged after Acute Heart Failure. *J Clin Med.* 10(8):1730. 2021 Apr. DOI: 10.3390/jcm10081730.
5. Takeuchi S, Takayama N¹, Soejima K, Yoshino H : A penetrating atherosclerotic ulcer rapidly growing into a saccular aortic aneurysm during treatment of leukaemia: a case report. *Eur Heart J Case Rep.* 5(7).2021 Jul 12:ytab196. DOI: 10.1093/ehjcr/ytab196. Erratum in: *Eur Heart J Case Rep.* 2021 Oct 05;5(10):ytab360. PMID: 34514296; PMCID: PMC8422330.
6. Nogami A, Kurita T, Abe H, Ando K, Ishikawa T, Imai K, Usui A, Okishige K, Kusano K, Kumagai K, Goya M, Kobayashi Y, Shimizu A, Shimizu W, Shoda M, Sumitomo N, Seo Y, Takahashi A, Tada H, Naito S, Nakazato Y, Nishimura T, Nitta T, Niwano S, Hagiwara N, Murakawa Y, Yamane T, Aiba T, Inoue K, Iwasaki Y, Inden Y, Uno K, Ogano M, Kimura M, Sakamoto SI, Sasaki S, Satomi K, Shiga T, Suzuki T, Sekiguchi Y, Soejima K, Takagi M, Chinushi M, Nishi N, Noda T, Hachiya H, Mitsuno M, Mitsuhashi T, Miyauchi Y, Miyazaki A, Morimoto T, Yamasaki H, Aizawa Y, Ohe T, Kimura T, Tanemoto K, Tsutsui H, Mitamura H (JCS/JHRS Joint Working Group) : JCS/JHRS 2019 guideline on non-pharmacotherapy of cardiac arrhythmias. *J Arrhythm.*7(4):709-870. 2021 Jun. DOI: 10.1002/joa3.12491. PMID: 34386109; PMCID: PMC8339126.
7. Miura K, Katsumata Y, Kawakami T, Ikura H, Ryuzaki T, Shiraishi Y, Fukui S,

- Kawakami M, Kohno T, Sato K, Fukuda K : Exercise tolerance and quality of life in hemodynamically partially improved patients with chronic thromboembolic pulmonary hypertension treated with balloon pulmonary angioplasty. *PLoS One*. 16(7):e0255180. 2021 Jul. DOI: 10.1371/journal.pone.0255180. eCollection 2021.
8. Nagamatsu Y, Goda A, Ito J, Takeuchi K, Kikuchi H, Kariyasu T, Machida H, Inami T, Kohno T, Soejima K, Satoh T : Novel diagnostic and therapeutic approaches to pulmonary hypertension due to the unilateral absence of a pulmonary artery. *ESC Heart Fail*; 8(4):3427-3430. 2021 Aug. DOI : 10.1002/ehf2.13459. Epub 2021 Jun.
 9. Kitaoka H, Tsutsui H, Kubo T, Ide T, Chikamori T, Fukuda K, Fujino N, Higo T⁶, Isobe M, Kamiya C, Kato S, Kihara Y, Kinugawa K, Kinugawa S, Kogaki S, Komuro I, Hagiwara N, Ono M, Maekawa Y, Makita S, Matsui Y, Matsushima S, Sakata Y, Sawa Y, Shimizu W, Teraoka K, Tsuchihashi-Makaya M, Ishibashi-Ueda H, Watanabe M, Yoshimura M, Fukusima A, Hida S, Hikoso S, Imamura T, Ishida H, Kawai M, Kitagawa T, Kohno T, Kurisu S, Nagata Y, Nakamura M, Morita H, Takano H, Shiga T, Takei Y, Yuasa S, Yamamoto T, Watanabe T, Akasaka T, Doi Y, Kimura T, Kitakaze M, Kosuge M, Takayama M, Tomoike H (Japanese Circulation Society Joint Working Group) : JCS/JHFS 2018 Guideline on the Diagnosis and Treatment of Cardiomyopathies. *Circ J*. 85(9):1590-1689. 2021 Aug. DOI: 0.1253/circj.CJ-20-0910. Epub 2021 Jul.
 10. Fukuoka R^{1,2}, Kohsaka S¹, Shiraishi Y¹, Sawano M¹, Abe T³, Wayne C Levy⁴, Nagatomo Y⁵, Nishihata Y⁶, Goda A, Kohno T, Kawamura A², Fukuda K¹, Yoshikawa T⁷ (¹Keio University School of Medicine, ²International University of Health and Welfare, ³Yokohama City University, ⁴University of Washington, ⁵National Defense Medical College, ⁶St. Luke's International Hospital, ⁷Sakakibara Heart Institute) : Sudden cardiac death after acute decompensation in heart failure patients: implications of discharge haemoglobin levels. *ESC Heart Fail*. (5):3917-3928. 2021 Oct. DOI : 10.1002/ehf2.13414. Epub 2021 Jul.
 11. Tobita K¹, Goda A, Nishida Y¹, Takeuchi K, Kikuchi H, Inami T, Kohno T, Yamada S¹, Soejima K, Satoh T (¹Department of Rehabilitation, Kyorin University Hospital) : Factors contributing to exercise capacity in chronic thromboembolic pulmonary hypertension with near-normal hemodynamics. *J Heart Lung Transplant*. 40(7):677-686. 2021 Jul. DOI: 10.1016/j.healun.2021.03.003. Epub 2021 Mar 5. PMID: 33879384.
 12. Soejima K, Kondo Y¹, Sasaki S², Adachi K³, Kato R⁴, Hagiwara N⁵, Harada T⁶, Kusano K⁷, Miura F⁸, Morishima I⁹, Yoshitani K¹⁰, Yotsukura A¹¹, Fujimoto M¹², Nishii N¹³, Shimeno K¹⁴, Ohe M¹⁵, Tasaka H¹⁶, Sasaki H¹⁷, Schrader J¹⁸, Ando K¹⁹(¹Chiba University Graduate School of Medicine, ²Hirosaki University, ³Akashi

Medical Center, ⁴Saitama Medical University, ⁵Tokyo Women's Medical University Hospital, ⁶St. Marianna University School of Medicine, ⁷National Cerebral and Cardiovascular Center, ⁸Hiroshima Prefectural Hospital, ⁹Ogaki Municipal Hospital, ¹⁰Hyogo Prefectural Amagasaki General Medical Center, ¹¹Hokko Memorial Hospital, ¹²Kouseiren Takaoka Hospital, ¹³Okayama University Hospital, ¹⁴Osaka City General Hospital, ¹⁵Kurume University Hospital, ¹⁶Kurashiki Central Hospital, ¹⁷BIOTRONIK JAPAN, Inc, ¹⁸BIOTRONIK SE & CO KG, ¹⁹Kokura Memorial Hospital) : Intracardiac conduction time as a predictor of cardiac resynchronization therapy response: Results of the BIO|SELECT pilot study. *Heart Rhythm* 28;2(6Part A):588-596. 2021 Sep. DOI : 10.1016/j.hrroo.2021.09.007. PMID: 34988503; PMCID: PMC8703154.

13. Usuda K¹, Kato T¹, Tsuda T¹, Tada H¹, Niwa S¹, Usui S¹, Sakata K¹, Hayashi K¹, Furusho H¹, Kawashiri M¹, Takamura M¹, Otsuka T², Suzuki S², Hirata A³, Murakami M⁴, Takami M⁵, Kimura M⁶, Fukaya H⁷, Nakahara S⁸, Shimizu W⁹, Iwasaki YK⁹, Hayashi H⁹, Harada T, Nakajima I¹⁰, Okumura K¹¹, Koyama J¹¹, Tokuda M¹², Yamane T¹², Momiyama Y¹³, Tanimoto K¹³, Soejima K, Nonoguchi N, Ejima K¹⁴, Hagiwara N¹⁴, Harada M¹⁵, Sonoda K¹⁶, Inoue M¹⁷, Kumagai K¹⁸, Hayashi H¹⁹, Satomi K²⁰, Yazaki Y²⁰, Watari Y²¹, Arai M²², Watanabe R²³, Yokoyama K²³, Matsumoto N²³, Nagashima K²², Okumura Y²² (¹Kazawa University, ²The Cardiovascular Institute, Tokyo, ³Osaka Police Hospital, ⁴Shonan-Kamakura General Hospital, ⁵Saiseikai Nakatsu Hospital, ⁶Hirosaki University School of Medicine, ⁷Kitasato University Hospital, ⁸Dokkyo Medical University Saitama Medical Center, ⁹Nippon Medical Hospital, ¹⁰St. Marianna University School of Medicine Hospital, ¹¹Saiseikai Kumamoto Hospital, ¹²Tokyo Jikei University School of Medicine Hospital, ¹³National Hospital Organization Tokyo Medical Center, ¹⁴Tokyo Women's Medical University Hospital, ¹⁵Fujita University Health Hospital, ¹⁶Tokyo Rinkai Hospital, ¹⁷Ishikawa Prefectural Central Hospital, ¹⁸Gunma Cardiovascular Center, ¹⁹Juntendo University, ²⁰Tokyo Medical University Hospital, ²¹Teikyo University, ²²Nihon University Itabashi Hospital, ²³Nihon University Hospital; on behalf of the AF Ablation Frontier Registry) : Impact of sinus rhythm maintenance on major adverse cardiac and cerebrovascular events after catheter ablation of atrial fibrillation: insights from AF frontier ablation registry. *Heart Vessels*. 37(2):327-336. 2022 Feb. DOI : 10.1007/s00380-021-01929-5. Epub 2021 Sep. PMID: 34524497.
14. Miwa Y, Mohri T, Katsume Y, Tashiro M, Momose Y, Nonoguchi N, Hoshida K, Togashi I¹, Hagiwara Y², Maeda A, Ueda A, Sato T, Soejima K (¹Division of Advanced Arrhythmia Management, Kyorin University Hospital, ²Division of Engineering, Kyorin University Hospital) : Left Atrial Reverse Remodeling Following the Modified Box

Isolation with Centerline in Patients with Persistent Atrial Fibrillation. *Int Heart J.* 62(5):1005-1011. 2021 Sep. DOI :10.1536/ihj.21-108. Epub 2021 Sep. PMID: 34544979.

15. Kitakata K¹, Kohno T¹, Kohsaka S¹, Fujisawa D¹, Nakano N¹, Shiraishi Y¹, Katsumata Y¹, Nagatomo Y², Yuasa S¹, Fukuda K¹ (¹Keio University School of Medicine, ²National Defense Medical College) : Preferences on advance care planning and end-of-life care in patients hospitalized for heart failure. *ESC Heart Fail.* 8(6):5102-5111. 2021 Dec; DOI :10.1002/ehf2.13578. Epub 2021 Sep.
16. Yagi R^{1,2}, Takei M^{1,3}, Kohsaka S³, Shiraishi Y³, Ikemura N³, Shoji S³, Niimi N³, Higuchi S⁹, Goda A, Kohno T, Nagatomo Y⁴, Nishihata Y⁵, Sujino Y⁶, Saji M⁷, Ikegami Y^{4,8}, Nakano S⁶, Takahashi T¹, Fukuda K¹, Yoshikawa T⁷ (¹Saiseikai Central Hospital, ²Harvard T.H. Chan School of Public Health, ³Keio University School of Medicine, ⁴National Defense Medical College, ⁵St. Luke's International Hospital, ⁶Saitama Medical University, ⁷Sakakibara Heart Institute, ⁸National Hospital Organization Tokyo Medical Center, ⁹Department of Emergency and General Medicine, Kyorin University School of Medicine) : Miyama H, uncton during hospitalization for acute heart failure. *ESC Heart Fail.* 8(6):5192-5203. 2021 Dec. DOI: 10.1002/ehf2.13598. Epub 2021 Sep.
17. Shiraishi Y¹, Niimi N¹, Goda A, Takei M², Kimura T¹, Kohno T, Kawana M³, Fukuda K¹, Kohsaka S¹ (¹Keio University School of Medicine, ²Tokyo Saiseikai Central Hospital, ³Stanford University) : Assessment of Physical Activity Using Waist-Worn Accelerometers in Hospitalized Heart Failure Patients and Its Relationship with Kansas City Cardiomyopathy Questionnaire. *J Clin Med.* 10(18):4103. 2021 Sep. DOI : 10.3390/jcm10184103.
18. Yamazaki Y¹, Shiraishi Y¹, Kohsaka S¹, Nagatomo Y³, Fukuda K¹, Kohno T, Yoshikawa T² (¹Keio University School of Medicine, ²National Defence Medical College Hospital, ³Sakakibara Heart Institute) : Temporal trends in tolvaptan use after revision of national heart failure guidelines in Japan. *Sci Rep.* 11(1):19360. 2021 Sep. DOI : 10.1038/s41598-021-98173-8.
19. Higuchi S¹, Kohno T, Kohsaka S², Shiraishi Y², Takei M³, Goda A, Shoji S², Nagatomo Y⁴, Yoshikawa T⁵ (¹Department of Emergency and General Medicine, Kyorin University School of Medicine, ²Keio University School of Medicine, ³Saiseikai Central Hospital, ⁴National Defense Medical College, ⁵Sakakibara Heart Institute) : Different Impact of Beta-Blockers on Long-Term Mortality in Heart Failure Patients with and without Chronic Obstructive Pulmonary Disease. *J Clin Med.* 10(19):4378. 2021 Sep. DOI : 10.3390/jcm10194378.

20. Nonoguchi NM, Adachi M¹, Nogami A², Komatsu Y^{2, 3}, Sato T⁶, Ueda A⁶, Ogawa K³, Togashi I⁶, Miwa Y, Hoshida K, Momose Y, Shinoda Y², Kowase S³, Nakamura K⁴, Kaneko S⁵, Soejima K(¹ Sanin Rosai Hospital, ² University of Tsukuba, ³ Yokohama Rosai Hospital, ⁴Toho University Ohashi Medical Center, ⁵Toyota Kosei Hospital, ⁶Division of Advanced Arrhythmia Management, Kyorin University School of Medicine) : Stellate Ganglion Phototherapy Using Low-Level Laser: A Novel Rescue Therapy for Patients With Refractory Ventricular Arrhythmias. *JACC Clin Electrophysiol.* 7(10):1297-1308. 2021 Oct. DOI:10.1016/j.jacep.2021.04.015. Epub 2021 Jun. PMID: 34217659.
21. El-Chami MF¹, Garweg C², Iacopino S³, Al-Samadi F⁴, Martinez-Sande JL⁵, Tondo C⁶, Johansen JB⁷, Prat XV⁸, Piccini JP⁹, Cha YM¹⁰, Grubman E¹¹, Bordachar P¹², Roberts PR¹³, Soejima K, Stromberg K¹⁴, Fagan DH¹⁴, Clementy N¹⁵(¹Emory University, ²UZ Leuven, ³Maria Cecelia Hospital, ⁴King Salman Heart Center-King Fahad Medical City, ⁵ University Clinical Hospital of Santiago de Compostela, ⁶University of Milan, ⁷Odense University Hospital, ⁸Hospital de la Santa Creu I Sant Pau, ⁹Duke University Medical Center, ¹⁰Mayo Clinic, ¹¹Yale University School of Medicin, ¹²Université Bordeaux, ¹³University Hospital Southampton NHS Foundation Trust, ¹⁴Medtronic, Inc., ¹⁵Centre Hospitalier Régional Universitaire de Tours-Hôpital Trousseau) : Leadless pacemaker implant, anticoagulation status, and outcomes: Results from the Micra Transcatheter Pacing System Post-Approval Registry. *Heart Rhythm.*19(2):228-234. 2022 Feb; DOI: 10.1016/j.hrthm.2021.10.023. Epub 2021 Oct. PMID: 34757189.
22. Katsume Y, Miwa Y, Ueda A, Soejima K : Underdiagnosis of phrenic nerve palsy caused by cryoballoon ablation for atrial fibrillation with upright position chest radiography: usefulness of supine position dynamic chest radiography. *Europace.*23(10):1567. 2021 Oct. DOI :10.1093/europace/euab173. PMID: 34352087.
23. Miura Y, Koyama K, Kongoji K, Soejima K : Fenestration using a novel cutting balloon for acute vessel occlusion secondary to intramural hematoma following stent implantation. *Cardiovasc Revasc Med.* 30:S1553-8389(21)00721-1. 2021 Oct. DOI : 10.1016/j.carrev.2021.10.016. Epub ahead of print. PMID: 34799290.
24. Shinada K¹, Kohno T¹, Fukuda K¹, Higashitani M², Kawamatsu N³, Kitai T^{4,5}, Shibata T⁶, Takei M⁷, Nochioka K⁸, Nakazawa G^{9, 10}, Shiomi H¹¹, Miyashita M¹², Mizuno A^{13,14} (¹School of Medicine, Keio University, ²Tokyo Medical University Ibaraki Medical Center, ³Mito Saiseikai General Hospital, ⁴Kobe City Medical Center General Hospital, ⁵National Cerebral and Cardiovascular Center, ⁶Kurume University School of Medicine, ⁷Saiseikai Central Hospital, ⁸Tohoku University Graduate School of

- Medicine, ⁹Tokai University, ¹⁰Kindai University Faculty of Medicine, ¹¹Kyoto University Graduate School of Medicine, ¹²Tohoku University Graduate School of Medicine, ¹³University of Pennsylvania, ¹⁴St Luke's International University) : Depression and complicated grief in bereaved caregivers in cardiovascular diseases: prevalence and determinants. *BMJ Support Palliat Care*. 2021 Oct. bmjspcare-2021-002998. DOI : 10.1136/bmjspcare-2021-002998.
25. Yukino M¹, Nagatomo Y¹, Goda A, Kohno T, Takei M², Nishihata Y³, Saji M⁴, Toyosaki Y⁵, Nakano S⁵, Ikegami Y^{1,6}, Shiraishi Y⁷, Kohsaka S⁷, Adachi T¹, Yoshikawa⁴ (¹National Defense Medical College, ²Saiseikai Central Hospital, ³St. Luke's International Hospital, ⁴Sakakibara Heart Institute, ⁵Saitama Medical University International Medical Center, ⁶National Hospital Organization) : Association of Non-Invasive Positive Pressure Ventilation with Short-Term Clinical Outcomes in Patients Hospitalized for Acute Decompensated Heart Failure. *J Clin Med*. 10(21): 5092. 2021 Oct. DOI : 10.3390/jcm10215092.
 26. Takeuchi K, Goda A, Ito J, Kikuchi H, Inami T, Kohno T, Soejima K, Satoh T : Successful epoprostenol withdrawal and termination with an aid of the exercise stress test in pulmonary arterial hypertension. *Int J Cardiol S0167-5273(21)01857-X*. 2021 Nov. DOI : 10.1016/j.ijcard.2021.11.041.
 27. Nishimura H¹, Mochida Y, Ogino S, Fukushi K, Yamazaki H, Miyakuni Y, Kaita Y, Minamishima T, Soejima K, Yamaguchi Y (¹Department of Trauma and Critical Care Medicine, Kyorin University School of Medicine) : Critical anterior mediastinal hematoma without internal mammary artery injury caused by cardiopulmonary resuscitation: A case report . *Trauma Case Rep*. 2021 Dec 23;37:100587. DOI :10.1016/j.tcr.2021.100587. PMID: 35005164; PMCID: PMC8718651.
 28. Shinada K¹, Kohno T, Fukuda K¹, Higashitani M², Kawamatsu N³, Kitai T⁴, Shibata T⁵, Takei M⁶, Nochioka K⁷, Nakazawa G⁸, Shiomi H⁹, Miyashita M¹⁰, Mizuno A¹¹ (¹Keio University School of Medicine, ²Tokyo Medical University Ibaraki Medical Center, ³Mito Saiseikai General Hospital, ⁴Kobe City Medical Center General Hospital, ⁵Kurume University School of Medicine, ⁶Tokyo Saiseikai Central Hospital, ⁷Tohoku University Graduate School of Medicine, ⁸Tokai University School of Medicine, ⁹Kyoto University Graduate School of Medicine, ¹⁰Tohoku University Graduate School of Medicine, ¹¹St. Luke's International Hospital) : Caregiver experience with decision-making difficulties in end-of-life care for patients with cardiovascular diseases. *J Cardiol*. S0914-5087(21)00312-92021 Nov 20. DOI : 10.1016/j.jjcc.2021.11.001.
 29. Sugiura K¹, Kohno T¹, Kohsaka S¹, Shiraishi Y¹, Katsumata Y¹, Hayashida K¹, Yuasa S¹, Takatsuki S¹, Fukuda K¹ : Sleep-disordered breathing is independently associated

with elevated natriuretic peptide levels in patients with cardiovascular diseases. *Heart Vessels*. 2021 Nov 30. DOI :10.1007/s00380-021-01998-6.

30. Hiraide T¹, Suzuki H¹, Shinya Y¹, Momoi M¹, Inami T, Katsumata Y,¹ Fukuda K¹, Kosaki K¹, Kataoka M^{1,2} (¹Keio University School of Medicine, ²University of Occupational and Environmental Health) : TET2 variants in Japanese patients with pulmonary arterial hypertension. *CJC Open*. 2021; 4: 416-419.DOI: 10.1016/j.cjco.2021.11.008
31. Watanabe R¹, Nagashima K¹, Wakamatsu Y¹, Otsuka N¹, Yokoyama K¹, Matsumoto N¹, Otsuka T², Suzuki S², Hirata A³, Murakami M⁴, Takami M⁵, Kimura M⁶, Fukaya H⁷, Nakahara S⁸, Kato T⁹, Hayashi H¹⁰, Iwasaki YK¹⁰, Shimizu W¹⁰, Nakajima I¹¹, Harada T¹¹, Koyama J¹², Okumura K¹², Tokuda M¹³, Yamane T¹³, Tanimoto K¹⁴, Momiyama Y¹⁴, Nonoguchi N, Soejima K, Ejima K¹⁵, Hagiwara N¹⁵, Harada M¹⁶, Sonoda K¹⁷, Inoue M¹⁸, Kumagai K¹⁹, Hayashi H²⁰, Yazaki Y²¹, Satomi K²¹, Watari Y²², Okumura Y¹ (¹Nihon University Itabashi Hospital, ²The Cardiovascular Institute, ³Osaka Police Hospital, ⁴Shonan-Kamakura General Hospital, ⁵Kobe University Graduate School of Medicine, ⁶Hirosaki University Hospital, ⁷Kitasato University School of Medicine, ⁸Dokkyo Medical University Saitama Medical Center, ⁹Kanazawa University Hospital, ¹⁰Nippon Medical School Hospital, ¹¹St. Marianna University School of Medicine Hospital, ¹²Saiseikai Kumamoto Hospital, ¹³The Jikei University School of Medicine, ¹⁴National Hospital Organization Tokyo Medical Center, ¹⁵Tokyo Women's Medical University Hospital, ¹⁶Fujita Health University Hospital, ¹⁷Tokyo Rinkai Hospital, ¹⁸Kanazawa Medical Center, ¹⁹Tohoku Medical and Pharmaceutical University, ²⁰Juntendo University School of Medicine, ²¹Tokyo Medical University Hospital, ²²Teikyo University School of Medicine : AF Ablation Frontier Registry Investigators) : Different Determinants of the Recurrence of Atrial Fibrillation and Adverse Clinical Events in the Mid-Term Period After Atrial Fibrillation Ablation. *Circ J*. 2022 Jan. 86(2):233-242. DOI : 10.1253/circj.CJ-21-0326. Epub 2021 Jul 3. PMID: 34219078.
32. Piccini JP¹, Cunnane R², Steffel J³, El-Chami MF⁴, Reynolds D⁵, Roberts PR⁶, Soejima K, Steinwender C^{7,8}, Garweg C⁹, Chinitz L¹⁰, Ellis CR¹¹, Stromberg K¹², Fagan DH¹³, Mont L¹⁴ (¹Duke University Medical Center, ²University of Michigan, ³University Heart Center Zurich, ⁴Emory University Hospital, ⁵University of Oklahoma Health Sciences Center, ⁶University Hospital Southampton NHS Foundation Trust, ⁷Kepler University Hospital, ⁸Paracelsus Medical University Salzburg, ⁹University Hospitals Leuven, ¹⁰NYU Langone Medical Center, ¹¹ Vanderbilt University Medical Center, ¹²Medtronic, ¹³Inc, Institut Clinic Cardiovascular (ICCV), ¹⁴Centro de Investigación Biomédica en Red de Enfermedades Cardiovasculares (CIBERCV) : Development and validation of a

risk score for predicting pericardial effusion in patients undergoing leadless pacemaker implantation: experience with the Micra transcatheter pacemaker. *Europace*. 2022 Jan :euab315. DOI :10.1093/europace/euab315. Epub ahead of print. PMID: 35025987.

33. Jono Y¹, Kohno T¹, Kohsaka S¹, Kitakata H¹, Shiraishi Y¹, Katsumata Y¹, Hayashida K¹, Yuasa S¹, Takatsuki S¹, Fukuda K¹(¹Keio University School of Medicine) : Sex differences in sleep and psychological disturbances among patients admitted for cardiovascular diseases. *Sleep Breath*. 2022 Jan. DOI :10.1007/s11325-021-02544-4. Online ahead of print.
34. Yumita Y¹, Nagatomo Y², Takei M³, Saji M², Goda A, Kohno T, Nakano A⁴, Nishihata Y⁵, Ikegami Y^{1,6}, Shiraishi Y⁷, Kohsaka S⁷, Adachi T¹, Yoshikawa T²(¹National Defense Medical College, ²Sakakibara Heart Institute, ³Saiseikai Central Hospital, ⁴ International Medical Center, ⁵ Saitama Medical University, ⁶St. Luke's International Hospital, ⁷Keio University School of Medicine) : Personalized Target Heart Rate for Patients with Heart Failure and Reduced Ejection Fraction . *J Pers Med*. 12(1):50. 2022 Jan . DOI :10.3390/jpm12010050.
35. Ogawa S^{1, 2}, Nagatomo Y^{1, 3}, Takei M⁴, Saji M¹, Goda A, Kohno T, Nakano A⁵, Nishihata Y⁶, Ikegami Y^{3,7}, Shoji S⁸, Shiraishi Y⁸, Kohsaka S⁸, Yoshikawa T¹ (¹Sakakibara Heart Institut, ²Osaka University Graduate School of Medicine, ³ National Defense Medical College, ⁴Saiseikai Central Hospital) : Impact of Left Ventricular Chamber Size on Outcome in Heart Failure with Preserved Ejection Fraction. *Int Heart J*. 63(1):62-722022; DOI : 10.1536/ihj.21-486.
36. Siontis KC¹, Santangeli P², Muser D², Marchlinski FE², Zeppenfeld K³, Hoogendoorn JC³, Narasimhan C⁴, Sauer WH⁵, Zipse MM⁶, Kapa S¹, Vedantham V⁷, Rosenthal DG⁷, Robinson MR⁸, Patton KK⁸, Murgatroyd F⁹, Chicos AB¹⁰, Soejima K, Roukoz H¹¹, Sacher F¹², Bhan A¹³, Appelbaum J¹⁴, Dickfeld T¹⁴, Mankad P¹⁵, Ellenbogen KA¹⁵, Kron J¹⁵, Kim HM¹⁶, Froehlich J¹⁶, Eagle KA¹⁶, Bogun FM¹⁶, Crawford TC¹⁶ (¹Mayo Clinic, ²Hospital of the University of Pennsylvania, ³Leiden University Medical Center, ⁴Care Hospitals, ⁵Brigham and Women's Hospital, ⁶University of Colorado, ⁷University of California, ⁸University of Washington, ⁹King's College Hospital National Health Service Foundation Trust, ¹⁰Northwestern University Feinberg School of Medicine, ¹¹University of Minnesota, ¹²University of Bordeaux, ¹³Advocate Christ Medical Center, ¹⁴University of Maryland School of Medicine, ¹⁵Virginia Commonwealth University, ¹⁶University of Michigan) : Outcomes Associated With Catheter Ablation of Ventricular Tachycardia in Patients With Cardiac Sarcoidosis. *JAMA Cardiol*. 7(2):175-183. 2022 Feb. DOI :10.1001/jamacardio.2021.4738. PMID:

34787643; PMID: PMC8600457.

37. Mohri T, Goda A, Takeuchi K, Kikuchi H, Inami T, Kohno T, Sakata K, Soejima K, Satoh T : High prevalence of occult left ventricular diastolic dysfunction detected by exercise stress test in systemic sclerosis. *Sci Rep.*12(1):2423.2022 Feb.DOI : 10.1038/s41598-022-06400-7.
38. Sato T, Soejima K¹, Maeda A¹, Mohri T¹, Katsume Y¹, Tashiro M¹, Momose Y¹, Nonoguchi N¹, Hoshida K¹, Miwa Y¹, Ueda A, Togashi I (¹Department of Cardiovascular Medicine, Kyorin University School of Medicine) : *JACC Clin Electrophysiol.* 7(4):513-521. Apr, 2021.

令和2年度 循環器内科学教室・不整脈先進治療学研究講座 英文論文

1. Kitakata H¹, Kohno T, Kohsaka S¹, Shiraishi Y¹, Parizo JT², Niimi N¹, Goda A, Nishihata Y³, Heidenreich PA^{2, 4}, Yoshikawa T⁵ (¹Keio University School of Medicine, ²Stanford University, ³St Luke's International Hospital, ⁴VA Palo Alto Health Care System, ⁵Sakakibara Heart Institute) : Prognostic Implications of Early and Midrange Readmissions After Acute Heart Failure Hospitalizations : A Report From a Japanese Multicenter Registry. *J Am Heart Assoc.* 9(10).e014949. 2020.
2. Yoshida T¹, Shoji S¹, Shiraishi Y¹, Kawana M², Kohno T, Inoue K³, Fukuda K¹, Heidenreich PA², Kohsaka S¹ (Keio University School of Medicine, Stanford University, Juntendo University Nerima Hospital) : Hospital meal intake in acute heart failure patients and its association with long-term outcomes. *Open Heart.* 7(1).e001248. 2020.
3. Mohri T, Igawa O¹, Isogaya K², Hoshida K, Togashi I, Soejima K (¹Nihon Medical University Hospital, ²Department of Pathology, Kyorin University Hospital) : Primary cardiac B-cell lymphoma involving sinus node, presenting as sick sinus syndrome. *HeartRhythm Case Rep.* 6(10).694-696.2020 .
4. Kawakubo Y¹, Katsumata Y¹, Komuro J¹, Shiraishi Y¹, Yuasa S¹, Itabashi Y¹, Kohno T, Fukuda K¹ (¹Keio University School of Medicine) : Successful Surgical Treatment Combined With Infliximab in a Patient With Acute Aortic Regurgitation Caused by Behçet Disease. *Can J Cardiol.* 36(7).1161. e3-1161.e5 .2020.
5. Kikuchi H, Goda A, Takeuchi K, Inami T, Kohno T, Sakata K, Soejima K, Satoh T : Exercise intolerance in chronic thromboembolic pulmonary hypertension after pulmonary angioplasty. *Eur Respir J.* 56(1).1901982. 2020.
6. Takeuchi S, Yamaguchi Y¹, Soejima K, Yoshino H (¹Department of Trauma and Critical Care Medicine) : Incidence and characteristics of acute aortic dissection in patients with out-of-hospital cardiopulmonary arrest evaluated by non-contrast computed tomography. *Eur Heart J Acute Cardiovasc Care.* 9(3_suppl). S48-S57. 2020.
7. Shiraishi Y¹, Kohsaka S¹, Abe T^{1, 2}, Nagai T^{3, 4}, Goda A, Nishihata Y⁵, Nagatomo Y⁶, Saji M⁷, Toyosaki Y⁸, Takei M⁹, Kitai T¹⁰, Kohno T, Fukuda K¹, Matsue Y¹¹, Anzai T^{3, 4}, Yoshikawa T¹ (¹Keio University School of Medicine, ²Yokohama City University, ³National Cerebral and Cardiovascular Center, ⁴Faculty of Medicine and Graduate School of Medicine Hokkaido University, ⁵St. Luke's International Hospital, ⁶National Defense Medical College Hospital, ⁷S Sakakibara Heart Institute, ⁸Saitama Medical University International Medical Center, ⁹Tokyo Saiseikai Central Hospital, ¹⁰Kobe City Medical Center General Hospital, ¹¹Juntendo University Graduate School

of Medicine : Derivation and Validation of Clinical Prediction Models for Rapid Risk Stratification for Time-Sensitive Management for Acute Heart Failure. *J Clin Med.* 9(11). E3394. 2020.

8. Iso K¹, Nagashima K¹, Arai M¹, Watanabe R¹, Yokoyama K², Matsumoto N², Otsuka T³, Suzuki S³, Hirata A⁴, Murakami M⁵, Takami M⁶, Kimura M⁷, Fukaya H⁸, Nakahara S⁹, Kato T¹⁰, Hayashi H¹¹, Iwasaki YK¹¹, Shimizu W¹¹, Nakajima I¹², Harada T¹², Koyama J¹³, Okumura K¹⁴, Tokuda M¹⁴, Yamane T¹⁴, Tanimoto K¹⁵, Momiyama Y¹⁵, Nonoguchi N, Soejima K, Ejima K¹⁶, Hagiwara N¹⁶, Harada M¹⁷, Sonoda K¹⁸, Inoue M¹⁹, Kumagai K²⁰, Hayashi H²¹, Yazaki Y²², Satomi K²², Watari Y²³, Okumura Y²⁴ (¹Nihon University School of Medicine , ²Nihon University Hospital , ³The Cardiovascular Institute, ⁴Osaka Police Hospital, ⁵Shonan-Kamakura General Hospital, ⁶Saiseikai Nakatsu Hospital , ⁷Hirosaki University Hospital , ⁸Kitasato University Hospital, ⁹Dokkyo Medical University Saitama Medical Center, ¹⁰Kitasato University Hospital, ¹¹Nippon Medical Hospital, ¹²St. Marianna University School of Medicine Hospital, ¹³Saiseikai Kumamoto Hospital, ¹⁴Tokyo Jikei University School of Medicine Hospital, ¹⁵National Hospital Organization Tokyo Medical Center, ¹⁶Tokyo Women's Medical University Hospital, ¹⁷Fujita Health University Hospital, ¹⁸Tokyo Rinkai Hospital, ¹⁹Ishikawa Prefectural Central Hospital, ²⁰Gunma Cardiovascular Center, ²¹Juntendo University, ²²Tokyo Medical University Hospital, ²³Teikyo University, ²⁴Nihon University School of Medicine), AF Ablation Frontier Registry investigators : Clinical outcomes of ablation versus non-ablation therapy for atrial fibrillation in Japan: analysis of pooled data from the AF Frontier Ablation Registry and SAKURA AF Registry. *Heart Vessels.* Epub 2020 Nov 24. Online ahead of print.
9. Moriyama H¹, Kawakami T¹, Kataoka M¹, Hiraide T¹, Kimura M¹, Endo J¹, Kohno T, Itabashi Y¹, Seo Y², Fukuda K¹, Murata M³ (¹Keio University School of Medicine, ²Nagoya City University Graduate School of Medical Sciences, ³Tokai University School of Medicine Tokai University Hachioji Hospital) : Regional Right Ventricular Abnormalities Implicate Distinct Pathophysiological Conditions in Patients With Chronic Thromboembolic Pulmonary Hypertension. *J Am Heart Assoc.* 9(21). e018096. 2020.
10. Wakamatsu Y¹, Nagashima K¹, Watanabe R¹, Arai M¹, Yokoyama K², Matsumoto N², Otsuka T³, Suzuki S³, Hirata A⁴, Murakami M⁵, Takami M⁶, Kimura M⁷, Fukaya H⁸, Nakahara S⁹, Kato T¹⁰, Hayashi H¹¹, Iwasaki YK¹¹, Shimizu W¹¹, Nakajima I¹², Harada T¹², Koyama J¹³, Okumura K¹³, Tokuda M¹⁴, Yamane T¹⁴, Tanimoto K¹⁵, Momiyama Y¹⁵, Nonoguchi N¹⁵, Soejima K, Ejima K¹⁶, Hagiwara N¹⁶, Harada M¹⁷, Sonoda K¹⁸, Inoue M¹⁹, Kumagai K²⁰, Hayashi H²¹, Yazaki Y²², Satomi K²², Watari

- Y²³, Okumura Y¹ (¹Nihon University Itabashi Hospital, ²Nihon University Hospital, ³The Cardiovascular Institute, ⁴Osaka Police Hospital, ⁵Shonan-Kamakura General Hospital, ⁶Osaka Saiseikai Nakatsu Hospital, ⁷Hirosaki University Hospital, ⁸Kitasato University Hospital, ⁹Dokkyo Medical University Saitama Medical Center, ¹⁰Kanazawa University Hospital, ¹¹Nippon Medical Hospital, ¹²St. Marianna University School of Medicine Hospital, ¹³Saiseikai Kumamoto Hospital, ¹⁴Tokyo Jikei University School of Medicine Hospital, ¹⁵National Hospital Organization Tokyo Medical Center, ¹⁶Tokyo Women's Medical University Hospital, ¹⁷Fujita University Health Hospital, ¹⁸Tokyo Rinkai Hospital, ¹⁹Tokyo Rinkai Hospital, ¹⁹Ishikawa Prefectural Central Hospital, ²⁰Gunma Cardiovascular Center, ²¹Juntendo University, ²²Tokyo Medical University Hospital, ²³Teikyo University) : Clinical Outcomes of Off-Label Underdosing of Direct Oral Anticoagulants After Ablation for Atrial Fibrillation. *Int Heart J.* 61(6).1165-1173. 2020.
11. Ko S¹, Komuro J¹, Katsumata Y¹, Shiraishi Y¹, Kawakami T¹, Yamada Y¹, Yuasa S¹, Kohno T, Kosaki K¹, Fukuda K¹ (¹Keio University School of Medicine) : Peripheral pulmonary stenosis with Noonan syndrome treated by balloon pulmonary angioplasty. *Pulm Circ.* 10 (4). 2045894020954310. 2020.
 12. Conte G^{1, 2, 3}, Soejima K, de Asmundis C⁴, Bruno J¹, Cattaneo F¹, Chierchia GB⁴, Miwa Y, Caputo ML¹, Sieira J, Regoli F⁴, Moccetti T¹, Brugada P⁴, Auricchio A^{1, 2, 3} (¹Cardiocentro Ticino, ²Università della Svizzera Italiana, ³USI, ⁴Universitair Ziekenhuis Brussel) : High-density mapping in patients undergoing ablation of atrial fibrillation with the fourth-generation cryoballoon and the new spiral mapping catheter. *Europace.* 22(11).1653-1658. 2020.
 13. Okishige K¹, Yamauchi Y¹, Nagase S², Kusano K², Miyamoto K², Ozawa T³, Sawayama Y³, Takeda H⁴, Manita M⁵, Asahi T⁵, Miwa Y, Soejima K, Sasano T⁶ (¹Japan Red Cross Yokohama City Bay Hospital, ²National Cerebral and Cardiovascular Center, ³Shiga University, School of Medicine, ⁴Ohta-Nishinouchi Hospital, ⁵Naha Municipal Hospital, ⁶Tokyo Medical and Dental University) : Transcatheter cryo-ablation of septal accessory pathways, multicenter observational study in Japan. *J Cardiol.* 2020. doi: 10.1016/j.jjcc.2020.10.012.
 14. Nagashima K¹, Kaneko Y², Maruyama M³, Nogami A⁴, Kowase S⁵, Mori H⁶, Sumitomo N⁶, Fukamizu S⁷, Hojo R⁷, Kitamura T⁷, Soejima K, Ueda A⁸, Otsuka T⁹, Takami M¹⁰, Tanimoto K¹¹, Asakawa T¹², Kumagai K¹³, Tamura S², Hasegawa H², Ogura K¹⁴, Kawamura M¹⁵, Munetsugu Y¹⁵, Shoda M¹⁶, Higuchi S¹⁶, Kanazawa H¹⁷, Kusa S¹⁸, Mizukami A¹⁹, Miyazaki S²⁰, Wakamatsu Y²¹, Okumura Y²¹ (¹Nihon University School of Medicine, ²Gunma University Graduate School of Medicine,

³Nippon Medical School Musashikosugi Hospital, ⁴University of Tsukuba, ⁵Yokohama Rosai Hospital, ⁶Saitama Medical University International Medical Center, ⁷Tokyo Metropolitan Hiroo Hospital, ⁸Division of Advance Arrhythmia Management, ⁹Kyorin University Hospital, ¹⁰The Cardiovascular Institute, ¹¹Kobe University Graduate School of Medicine, ¹²Tokyo Medical Center, ¹³Yamanashi Kosei Hospital, ¹⁴Odawara Cardiovascular Hospital, ¹⁵Tottori University, ¹⁶Showa University School of Medicine, ¹⁷Tokyo Women's Medical University, ¹⁸Kumamoto University Hospital, ¹⁹Tsuchiura Kyodo Hospital, ²⁰Kameda Medical Center, ²¹University of Fukui, ²²Nihon University School of Medicine) : Novel Diagnostic Observations of Nodoventricular/Nodofascicular Pathway-Related Orthodromic Reciprocating Tachycardia Differentiating From Atrioventricular Nodal Re-Entrant Tachycardia. *JACC Clin Electrophysiol.* 6(14).1797-1807. 2020.

15. Kiani S¹, Wallace K², Stromberg K², Piccini P³, Roberts PR⁴, El-Chami MF⁵, Soejima K, Garweg C⁶, Fagan DH², Lloyd MS⁵ (¹Emory University School of Medicine, ²Medtronic PLC, ³Duke University Medical Center and Duke Clinical Research Institute, ⁴Southampton General Hospital-University Hospital Southampton National Health Service Foundation Trust, ⁵Emory University School of Medicine, ⁶University of Leuven) : A Predictive Model for the Long-Term Electrical Performance of a Leadless Transcatheter Pacemaker. *JACC Clin Electrophysiol.* 2020. doi:10. 1016/j. jacep. 2020. 09. 010. Epub.
16. Sugiyama K¹, Kobayashi S¹, Kurihara I¹, Miyashita K¹, Yokota K¹, Kohno T, Yoshimura N J², Itoh H¹ (¹Keio University School of Medicine, ²Ito Hospital) : Effect of long-term amiodarone treatment on thyroid function in euthyroid Japanese patients: a 12-month retrospective analysis. *Endocr J.* 67(12).1247-1252. 2020.
17. Hibi K¹, Kozuma K², Maejima N¹, Sonoda S³, Endo T⁴, Tanaka H⁵, Kyono H², Koshida R⁶, Ishihara T⁷, Awata M⁸, Kume T⁹, Tanabe K¹⁰, Morino Y¹¹, Tsukahara K¹², Ikari Y¹³, Fujii K¹⁴, Yamasaki M¹⁵, Yamanaka T¹⁶, Sumiyoshi T¹⁷, Yoshino H, Kimura K¹, Isshiki T¹⁸ (¹Yokohama City University Medical Center, ²Teikyo University School of Medicine, ³University of Occupational and Environmental Health, ⁴Saiseikai Yokohamashi Nanbu Hospital, ⁵Tokyo Metropolitan Tama Medical Center, ⁶Tokaidai Memorial Hospital Cardiovascular Center, ⁷Kansai Rosai Hospital Cardiovascular Center, ⁸Mombetsu General Hospital, ⁹Kawasaki Medical School, ¹⁰Mitsui Memorial Hospital, ¹¹Iwate Medical University School of Medicine, ¹²Fujisawa City Hospital, ¹³Tokai University, ¹⁴akurabashi Watanabe Hospital, ¹⁵NTT Medical Center Tokyo, ¹⁶Yokohama City University, ¹⁷Sakakibara Heart Institute, ¹⁸Ageo Central General Hospital), VAMPIRE 3 Investigators : Long-Term Clinical Outcomes After Filter

Protection During Percutaneous Coronary Intervention in Patients With Attenuated Plaque- 1-Year Follow up of the VAMPIRE 3 (Vacuum Aspiration Thrombus Reemoval 3) Trial. *Circ J.* 85(1).44-49. 2020.

18. Yamaguchi T¹, Nakai M², Sumita Y², Miyamoto Y², Matsuda H², Inoue Y², Yoshino H, Okita Y³, Minatoya K⁴, Ueda Y⁵, Ogino H⁶ (¹Toranomon Hospital, ²National Cerebral and Cardiovascular Center, ³Kobe University Graduate School of Medicine, ⁴Kyoto University Graduate School of Medicine, ⁵Nara Prefecture General Medical Center, ⁶Tokyo Medical University). Impact of structural and process quality indicators on the outcomes of acute aortic dissection. *Eur J Cardiothorac Surg.* 58(6).1281-1288. 2020.
19. Itoh T¹, Kimura T¹, Kudo A¹, Morino Y¹, Ikari Y², Yoshioka K², Nakano M², Natsumeda M, ² Sakuma M³, Inami S³, Ako J⁴, Nishinari M⁴, Shimohama T⁴, Komatsu T⁵, Ishikawa T⁵, Taguchi I⁵, Sugimura H⁶, Mitarai T⁷, Akashi Y⁷, Suzuki N⁸, Sugi K⁹, Matsumoto K⁸, Kohshoh H, Yoshino H (¹Iwate Medical University, ²Tokai University School of Medicine, ³Medical University, ⁴Kitasato University Hospital, ⁵Dokkyo Medical University Saitama Medical Center, ⁶Dokkyo Medical University Nikko Medical Center, ⁷St. Marianna University School of Medicine, ⁸Teikyo University School of Medicine, ⁹Saitama Medical University) CIRC-8U Study Group : Clinical and procedure characteristics in patients treated with polytetrafluoroethylene-covered stents after coronary perforation: a CIRC-8U multicenter registry and literature review. *Cardiovasc Interv Ther.* 2020.doi: 10.1007/s12928-020-00716-9.
20. Higuchi S¹, Kabeya Y^{2,3}, Nishina Y, Miura Y, Yoshino H (¹Department of Emergency and General Medicine, Kyorin University School of Medicine, ²Tokai University, ³Sowa Hospital) : Feasibility and safety of noncontrast percutaneous coronary intervention in patients with complicated acute coronary syndrome. *Catheter Cardiovasc Interv.* 96(7).E666-E673. 2020.
21. Tsugu T¹, Kawakami T¹, Kataoka M¹, Endo J¹, Kohno T, Itabashi Y¹, Fukuda K¹, Murata M² (¹Keio University School of Medicine, ²Tokai University Hachioji Hospital) : Preoperative right ventricular strain predicts sustained right ventricular dysfunction after balloon pulmonary angioplasty in patients with chronic thromboembolic pulmonary hypertension. *Echocardiography.* 7(12).2040-2047. 2020.
22. Horie H¹, Kohno T, Kohsaka S¹, Kitakata H¹, Shiraishi Y¹, Katsumata Y¹, Hayashida K¹, Yuasa S¹, Takatsuki S¹, Fukuda K¹ (¹Keio University School of Medicine) : Frequent nightmares and its associations with psychological and sleep disturbances in hospitalized patients with cardiovascular diseases. *Eur J Cardiovasc Nurs.* 2020. doi: 10.1093/eurjcn/ zvaa016.

23. El-Chami MF¹, Shinn T², Bansal S³, Martinez-Sande JL⁴, Clementy N⁵, Augostini R⁶, Ravindran B², Sagi V⁷, Ramanna H⁸, Garweg C⁹, Roberts PR¹⁰, Soejima K, Stromberg K¹¹, Fagan DH¹¹, Zuniga N¹¹, Piccini JP¹² (¹Emory University, ²Michigan Heart, ³Lancaster General Health, ⁴University Clinical Hospital of Santiago de Compostela, ⁵Centre Hospitalier Régional Universitaire de Tours - Hôpital Trousseau, ⁶The Ohio State University Wexner Medical Center, ⁷Baptist Medical Center, ⁸Haga Teaching Hospital, ⁹University Hospitals Leuven, ¹⁰University Hospital Southampton NHS Foundation Trust, ¹¹Duke University Medical Center and Duke Clinical Research Institute) : Leadless pacemaker implant with concomitant atrioventricular node ablation : Experience with the Micra transcatheter pacemaker . *J Cardiovasc Electrophysiol.* 32(3).832-841. 2021.
24. Kimura M¹, Kohno T, Sawano M¹, Paul A Heidenreich², Ueda I¹, Takahashi T³, Matsubara T⁴, Ueno K⁵, Hayashida K¹, Yuasa S¹, Ohki T⁶, Fukuda K¹, Kohsaka S¹ (¹Keio University School of Medicine, ²Stanford University, ³Saiseikai Central Hospital, ⁴Hiratsuka City Hospital, ⁵Saiseikai Utsunomiya Hospital, ⁶Tokyo Dental College Ichikawa General Hospital) : Independent and cumulative association of clinical and morphological heart failure with long-term outcome after percutaneous coronary intervention. *J Cardiol.* 77(1).41-47. 2021.
25. Matsuda R¹, Kohno T, Kohsaka S¹, Shiraishi Y¹, Katsumata Y¹, Hayashida K¹, Yuasa S¹, Takatsuki S¹, Fukuda K¹ (¹Keio University School of Medicine) : Psychological disturbances and their association with sleep disturbances in patients admitted for cardiovascular diseases. *PLoS One.* 16(1). e0244484. 2021.
26. Yoneyama K¹, Ishibashi K¹, Koeda Y², Itoh T², Morino Y², Shimohama T³, Ako J³, Ilari Y⁴, Yoshioka K⁴, Kunishima T¹, Inami S⁵, Ishikawa T⁶, Sugimura H⁶, Kozuma K⁷, Sugi K⁸, Yoshino H, Akashi YJ¹ (¹St. Marianna University School of Medicine, ²Iwate Medical University, ³Kitasato University School of Medicine, ⁴Tokai University School of Medicine, ⁵Dokkyo Medical University, ⁶Nikko Medical Center, ⁷Medical University, ⁸Sai Teikyo tama Medical University International Medical Center) : Association between acute myocardial infarction-to-cardiac rupture time and in-hospital mortality risk: a retrospective analysis of multicenter registry data from the Cardiovascular Research Consortium-8 Universities (CIRC-8U). *Heart Vessels.* doi: 10. 1007/s00380-020-01762-2. 2021. [Epub]
27. Abe A¹, Kobayashi M¹, Kohno T¹, Takeuchi M¹, Hashiguchi S², Mimura M¹, Fujisawa D¹. ² : (¹Keio University School of Medicine, ² Keio University Hospital) : Patient participation and associated factors in the discussions on do-not-attempt-resuscitation and end-of-life disclosure: a retrospective chart review study. *BMC Palliat Care.* 20(1).

6. 2021.

28. Yada H¹, Soejima K, Ito K¹, Adachi T¹ (¹National Defense Medical College) : Right-sided accessory pathway visualized using intracardiac echocardiography. *Europace*. 23(2):195. 2021.
29. Coromilas EJ¹, Kochav S¹, Goldenthal I¹, Biviano A¹, Garan H¹, Goldbarg S², Kim JH², Yeo I³, Tracy C³, Ayanian S³, Akar J⁴, Singh A⁴, Jain S⁴, Zimmerman L⁵, Pimentel M⁵, Osswald S⁶, Twerenbold R⁶, Schaerli N⁶, Crotti L^{7, 8}, Fabbri D^{7, 8}, Parati G^{7, 8}, Li Y⁹, Atienza F^{10, 11}, Zatarain E F^{10, 11}, Tse G F^{12, 13, 14}, Leung KSK¹⁵, Guevara-Valdivia ME¹⁶, Rivera-Santiago CA¹⁶, Soejima K, De Filippo P¹⁷, Frrari P¹⁷, Malanchini G¹⁷, Kanagaratnam P¹⁸, Khawaja S¹⁸, Mikhail GW¹⁸, Scanavacca M¹⁹, Hajjar LA¹⁹, Rizerio Gomes B¹⁹, Sacilotto L¹⁹, Mollazadeh R²⁰, Eslami M²⁰, Laleh Far V²⁰, Mattioli AV²¹, Boriani G²¹, Migliore F²², Cipriani A²², Donato F²², Compagnucci P²³, Casella M²³, Dello Russo A²³, Coromilas J²⁴, Aboyme A²⁴, O'Brien CG²⁵, Rodriguez F²⁶, Wang PJ²⁶, Naniwadekar A²⁷, Moey M²⁷, Know CS²⁸, Cheah WK²⁹, Auricchio A³⁰, Conte G³¹, Hwang J³¹, Han S³¹, Lazzarini PE^{32, 33}, Franchi F^{32, 33}, Santoro A^{32, 33}, Capecchi PL^{32, 33}, Joglar JA³⁴, Rosenblatt AG³⁴, Zardini M³⁵, Bricoli S³⁵, Bonura R³⁵, Echarte-Morales J³⁶, Benito-González T³⁶, Minguito-Carazo C³⁶, Fernández-Vázquez F³⁶, Wan EY¹ (¹Columbia University Vagelos College of Physicians & Surgeons, ²Weill Medical College, ³The GW Medical Faculty Associates, ⁴Yale University School of Medicine, ⁵Universidade Federal do Rio Grande do Sul, ⁶University of Basel, ⁷San Luca Hospital, ⁸University of Milano-Bicocca, ⁹Wuhan Asia General Hospital, ¹⁰Wuhan Asia General Hospital, ¹¹Instituto de Investigación Sanitaria Gregorio Marañón Instituto de Salud Carlos III, ¹²Second Hospital of Tianjin Medical University, ¹³The Hospital Authority of Hong Kong, ¹⁴Li Ka Shing Institute of Health Sciences, ¹⁵Aston University, ¹⁶UMAE Hospital de Especialidades Dr. Antonio Fraga Mouret CMN La Raza IMSS, ¹⁷ASST Papa Giovanni XXIII, ¹⁸Imperial College Healthcare NHS Trust, ¹⁹Hospital das Clinicas da Faculdade de Medicina da Universidade de São Paulo, ²⁰Tehran University of Medical Sciences, ²¹University of Modena & Reggio Emilia, ²²Vascular Sciences & Public Health, University of Padova, ²³Marche Polytechnic University, ²⁴Rutgers Robert Wood Johnson Medical School, ²⁵University of California San Francisco School of Medicine, ²⁶Stanford University, ²⁷East Carolina University, ²⁸International Medical University, ²⁹Taiping Hospital, Fondazione ³⁰Cardiocentro Ticino, ³¹Keimyung University Dongsan Hospital, ³²University of Siena, ³³Azienda Ospedaliera Universitaria Senese, ³⁴University of Texas Southwestern Medical Center, ³⁵University Hospital "Ospedale Maggiore", ³⁶University Hospital of Leon) : Worldwide Survey of

COVID-19 Associated Arrhythmias. *Circ Arrhythm Electrophysiol.* 14(3).e009458. 2021.

30. Murata M^{1, 2}, Kawakami T², Kataoka M², Moriyama H², Hiraide T², Kimura M², Endo J², Kohno T, Itabashi Y², Fukuda K² : Clinical Significance of Guanylate Cyclase Stimulator, Riociguat, on Right Ventricular Functional Improvement in Patients with Pulmonary Hypertension. *Cardiology.* 146(1).130-136. 2021.
31. Ishiguro M, Takeuchi K, Kikuchi H, Goda A, Inami T, Tamura Y¹, Kataoka M¹, Fukuda K¹, Satoh T (¹Keio University School of Medicine) : Pulmonary artery pressure as a treatment target to improve the prognosis of idiopathic pulmonary artery hypertension - insight from a cohort from two Japanese pulmonary hypertension centers. *Circ Rep.* 2(4). 249-254. 2020.
32. Tobita K¹, Goda A, Nishida Y¹, Takeuchi K, Kikuchi H, Inami T, Kohno T, Yamada S¹, Soejima K, Satoh T (¹Department of Rehabilitation, Kyorin University Hospital) : Factors contributing to exercise capacity in chronic thromboembolic pulmonary hypertension with near-normal hemodynamics. *J Heart Lung Transplant.* 2021. doi: 10.1016/j.healun.2021.03.003. [Epub]
33. Yoshizawa M¹, Itoh T^{1, 2}, Morino Y², Taniai S, Ishibashi Y², Komatsu T³, Taguchi I³, Nishinari M⁴, Ako J⁴, Kyono H⁵, Furukawa T⁵, Murakami T⁶, Ikari Y⁶, Kato R⁷, Matsumoto K⁷, Sakuma M⁸, Sugimura H⁹, J Akashi Y², Yoshino H (¹Iwate Medical University, ²St. Marianna University School of Medicine, ³Dokkyo Medical University Saitama Medical Center, ⁴Kitasato University Hospital, ⁵Teikyo University, ⁶Tokai University School of Medicine, ⁷Saitama Medical University, ⁸Dokkyo Medical University, ⁹Dokkyo Medical University Nikko Medical Center) CIRC-8U study group : Gender Differences in the Circadian and Seasonal Variations in Patients with Takotsubo Syndrome : A Multicenter Registry at Eight University Hospitals in East Japan. *Intern Med.* 2021. doi: 10.2169/internalmedicine.6910-20. [Online ahead of print]
34. Yamagishi M¹, Tamaki N², Akasaka T³, Ikeda T⁴, Ueshima K⁵, Uemura S⁶, Otsuji Y⁷, Kihara Y⁸, Kimura K⁹, Kimura T¹⁰, Kusama Y¹¹, Kumita S¹², Sakuma H¹³, Jinzaki M¹⁴, Daida H¹⁵, Takeishi Y¹⁶, Tada H¹⁷, Chikamori T¹⁸, Tsujita K¹⁹, Teraoka K²⁰, Nakajima K²¹, Nakata T²², Nakatani S²³, Nogami A²⁴, Node K²⁵, Nohara A²⁶, Hirayama A²⁷, Funabashi N²⁸, Miura M²⁹, Mochizuki T³⁰, Yokoi H³¹, Yoshioka K³², Watanabe M³³, sanuma T³⁴, Ishikawa Y³⁵, Ohara T³⁶, Kaikita K¹⁹, Kasai T³⁷, Kato E³⁸, Kamiyama H³⁹, Kawashiri M⁴⁰, Kiso K⁴¹, Kitagawa K⁴², Kido T³⁰, Kinoshita T⁴³, Kiriya T¹², Kume T⁶, Kurata A³⁰, Kurisu S⁸, Kosuge M⁹, Kodani E⁴⁴, Sato A²⁴, Shiono Y³, Shiomi H¹⁰, Taki J⁴⁰, Takeuchi M⁴⁵, Tanaka A²⁵, Tanaka N⁴⁶, Tanaka R⁴⁷, Nakahashi

T⁴⁸, Nakahara T¹⁴, Nomura A⁴⁹, Hashimoto A⁵⁰, Hayashi K⁵⁰, Higashi M⁵¹, Hiro T³⁹, Fukamachi D⁵², Matsuo H⁵³, Matsumoto N³⁹, Miyauchi K⁵⁴, Miyagawa M⁵⁵, Yamada Y¹⁴, Yoshinaga K⁵⁵, Wada H⁵⁶, Watanabe T³³, Ozaki Y⁵⁷, Kohsaka S¹⁴, Shimizu W⁵⁸, Yasuda S⁵⁹, Yoshino H (¹Osaka University of Human Science, ²Kyoto Prefectural University of Medicine Graduate School, ³Wakayama Medical University, ⁴Toho University Graduate School, ⁵Kyoto University Hospital, ⁶Kawasaki Medical School, ⁷University of Occupational and Environmental Health, ⁸Hiroshima University Graduate School of Biomedical and Health Sciences, ⁹Yokohama City University Medical Center, ¹⁰Kyoto University Graduate School, ¹¹Honjo General Hospital, Nippon Medical School, ¹²Nippon Medical School, ¹³Mie University Graduate School, ¹⁴Keio University School of Medicine, ¹⁵Juntendo University Graduate School, ¹⁶Fukushima Medical University, ¹⁷University of Fukui, ¹⁸Tokyo Medical University, ¹⁹Kumamoto University, ²⁰Sakakibara Memorial Clinic, ²¹Kanazawa University, ²²Hakodate Goryokaku Hospital, ²³Osaka University Graduate School of Medicine, ²⁴University of Tsukuba, ²⁵Saga University, ²⁶Ishikawa Prefectural Central Hospital, ²⁷Osaka Police Hospital, ²⁸Chiba University Graduate School, ²⁹Tokyo Metropolitan Children's Medical Center, ³⁰Ehime University Graduate School, ³¹Fukuoka Sanno Hospital, ³²Iwate Medical University, ³³Yamagata University, ³⁴Osaka University Graduate School, ³⁵Fukuoka Children's Hospital, ³⁶Tohoku Medical and Pharmaceutical University, ³⁷Uonuma Kinen Hospital, ³⁸Kyoto University Hospital, ³⁹Nihon University, ⁴⁰Kanazawa University Hospital, ⁴¹Tohoku University Hospital, ⁴²Mie University Graduate School, ⁴³Toho University, ⁴⁴Nippon Medical School Tama Nagayama Hospital, ⁴⁵Hospital of the University of Occupational and Environmental Health, ⁴⁶Tokyo Medical University Hachioji Medical Center, ⁴⁷Iwate Medical University, ⁴⁸Takaoka City Hospital, ⁴⁹Sapporo Medical University, ⁵⁰National Hospital Organization Osaka National Hospital, ⁵¹Nihon University ⁵²Nihon University Itabashi Hospital, ⁵³Gifu Heart Center, ⁵⁴Juntendo University, ⁵⁵Ehime University Hospital, ⁵⁶Molecular Imaging at the National Institute of Radiological Sciences, ⁵⁷Juntendo University Shizuoka Hospital, ⁵⁸Fujita Medical University, ⁵⁹Nippon Medical School, ⁶⁰Tohoku University Graduate School of Medicine) Japanese Circulation Society Working Group : JCS 2018 Guideline on Diagnosis of Chronic Coronary Heart Diseases. Circ J. 85(4).402-572. 2021 .

35. Abe R¹, Kato J¹, Hashida R¹, Yamane Y¹, Koda Y¹, Kikuchi T¹, Shimizu T¹, Kohno T, Kawano F², Imadome K², Inoue M³, Sasaki A¹, Kameyama K⁴, Mori T¹ (¹Keio University School of Medicine, ²National Center for Child Health and Development, ³Osaka Women's and Children's Hospital, ⁴Keio University Hospital) : Chronic active

Epstein-Barr virus infection with multiple vascular lesions successfully treated by cord blood transplantation. *Rinsho Ketsueki*. 61(10). 1502-1507. 2020.

36. Nagashima K¹, Hiro T¹, Fukamachi D¹, Okumura Y¹, Watanabe I¹, Hirayama A¹, Tanaka M¹, Tanaka T², Takamisawa I², Taguchi I³, Sato A⁴, Aonuma K⁴, Fukamizu S⁵, Nakada A⁵, Watanabe A⁶, Amioka N⁶, Suzuki Y⁷, Matsumoto N⁷, Koizumi J⁸, Kumagai K⁸, Naya M⁹, Higuchi Y¹⁰, Aito Y¹¹, Masuyama T¹¹, Kawamura M¹², Tsunoda R¹³, Suzuki S¹⁴, Ishii H¹⁴, Murohara T¹⁴, Shimizu T¹⁵, Takeishi Y¹⁵, Shiina K¹⁶, Yamashita J¹⁶, Imamura T¹⁷, Sumitomo N¹⁷, Noguchi T¹⁸, Aso T¹⁹, Furukawa K²⁰, Yamauchi Y²¹, Okishige K²¹, Sakata K²², Yamagishi M²², Shimizu S²³, Ohno M²³, Sugano T²⁴, Matsumura K²⁵, Matsumoto K²⁶, Ozaki K²⁷, Hayashidani S²⁸, Meno H²⁸, Iwata A²⁹, Higuma T³⁰, Tomita H³⁰, Yoshino H, Tani ai S, Shishido K³¹, Murakami M³¹, Negishi K³², Nii M³³, Wakatsuki D³⁴, Suzuki H³⁴, Motoike Y³⁵, Ozaki Y³⁵, Nakazato J³⁶, Hayashi H³⁷, Higuchi S³⁸, Shoda M³⁸ (¹Nihon University School of Medicine, ²Sakakibara Heart Institute, ³Dokkyo Medical University Saitama Medical Center, ⁴University of Tsukuba, ⁵Tokyo Metropolitan Hiroo Hospital, ⁶Okayama University, ⁷Nihon University Hospital, ⁸Iwate Medical University, ⁹Hokkaido University, ¹⁰Osaka Police Hospital, ¹¹Hyogo College of Medicine, ¹²Showa University, ¹³Japanese Red Cross Kumamoto Hospital, ¹⁴Nagoya University Graduate School of Medicine, ¹⁵Fukushima Medical University, ¹⁶Tokyo Medical University, ¹⁷Saitama Medical University International Medical Center, ¹⁸National Cerebral and Cardiovascular Center, ¹⁹Kanagawa Children's Medical Center, ²⁰National Hospital Organization Kyushu Medical Center, ²¹Yokohama-City Bay Red Cross Hospital, ²²Kanazawa University, ²³National Disaster Medical Center, ²⁴Yokohama City University, ²⁵Kansai Medical University Medical Center, ²⁶The Sakakibara Heart Institute of Okayama, ²⁷Niigata University, ²⁸Fukuoka Red Cross Hospital, ²⁹Fukuoka University School of Medicine, ³⁰Hirosaki University Graduate School of Medicine, ³¹Shonan Kamakura General Hospital, ³²Yokohama Municipal Citizens' Hospital, ³³Shizuoka Children's Hospital, ³⁴Showa University Fujigaoka Hospital, ³⁵Fujita Health University, ³⁶Okinawa Prefectural Chubu Hospital, ³⁷Juntendo University Graduate School of Medicine, ³⁸Tokyo Women's Medical University) : Anomalous origin of the coronary artery coursing between the great vessels presenting with a cardiovascular event (J-CONOMALY Registry). *Eur Heart J Cardiovasc Imaging*. 21(2).222-230.
- Watanabe E, Yamazaki F, Goto T, Asai T, Yamamoto T, Hirooka K, Sato T, Kasai A, Ueda M, Yamakawa T, Ueda Y, Yamamoto K, Tokunaga T, Sugai Y, Tanaka K, Hiramatsu S, Arakawa T, Schrader J, Varma N, Ando K : Remote Management of Pacemaker Patients With Biennial In-Clinic Evaluation: Continuous Home

Monitoring in the Japanese At-Home Study: A Randomized Clinical Trial. *Circ Arrhythm Electrophysiol.* 2020.13(5):e007734.

37. Nagashima K, Kaneko Y, Maruyama M, Nogami A, Kowase S, Mori H, Sumitomo N, Fukamizu S, Hojo R, Kitamura T, Soejima K, Ueda A, Otsuka T, Takami M, Tanimoto K, Asakawa T, Kumagai K, Tamura S, Hasegawa H, Ogura K, Kawamura M, Munetsugu Y, Shoda M, Higuchi S, Kanazawa H, Kusa S, Mizukami A, Miyazaki S, Wakamatsu Y, Okumura Y : Novel Diagnostic Observations of Nodoventricular/Nodofascicular Pathway-Related Orthodromic Reciprocating Tachycardia Differentiating From Atrioventricular Nodal Re-Entrant Tachycardia. *JACC Clin Electrophysiol.* 2020. 6(14). 1790-1807

令和1年度業績 循環器内科学教室・不整脈先進治療学研究講座 英文論文

1. Moriyama H¹, Murata M¹, Kataoka M¹, Kawakami T¹, Endo J¹, Kohno T, Itabashi Y¹, Seo Y², Iwao Y², Fukuda K¹ (¹Keio University School of Medicine, ²University of Tsukuba) : Right Ventricle-Specific Three-Dimensional Wall Motion Tracking for Visualization of Regional Wall Motion Abnormality in Patients With Pulmonary Arterial Hypertension. *Circ Cardiovasc Imaging*, 12(4): e008795, 2019.
2. Kimura K¹, Kimura T², Ishihara M³, Nakagawa Y⁴, Nakao K⁵, Miyauchi K⁶, Sakamoto T⁵, Tsujita K⁷, Hagiwara N⁸, Miyazaki S⁹, Ako J¹⁰, Arai H¹¹, Ishii H¹², Origuchi H¹³, Shimizu W¹⁴, Takemura H¹⁵, Tahara Y¹⁶, Morino Y¹⁷, Iino K¹⁵, Itoh T¹⁷, Iwanaga Y⁹, Uchida K¹, Endo H¹⁸, Kongoji K, Sakamoto K⁷, Shiomi H¹⁹, Shimohama T¹⁰, Suzuki A⁸, Takahashi J²⁰, Takeuchi I¹, Tanaka A²¹, Tamura T²², Nakashima T¹⁶, Noguchi T¹⁶, Fukamachi D²³, Mizuno T²⁴, Yamaguchi J⁸, Yodogawa K¹⁴, Kosuge M¹, Kohsaka S²⁵, Yoshino H, Yasuda S¹⁶, Shimokawa H²⁶, Hirayama A²⁷, Akasaka T²⁸, Haze K²⁹, Ogawa H³⁰, Tsutsui H³¹, Yamazaki T³²(¹Yokohama City University Medical Center, ²Kyoto University Graduate School of Medicine, ³Hyogo College of Medicine, ⁴Shiga University of Medical Science, ⁵Saiseikai Kumamoto Hospital, ⁶Juntendo Tokyo Koto Geriatric Medical Center, ⁷Kumamoto University Graduate School of Medical Science, ⁸Tokyo Women's Medical University, ⁹Kindai University Faculty of Medicine, ¹⁰Kitasato University School of Medicine, ¹¹Tokyo Medical and Dental University, ¹²Nagoya University Graduate School of Medicine, ¹³Japan Community Health Care Organization Kyushu Hospital, ¹⁴Nippon Medical School, ¹⁵Kanazawa University, ¹⁶National Cerebral and Cardiovascular Center, ¹⁷Iwate Medical University, ¹⁸Juntendo University Hospital, ¹⁹Kyoto University Hospital, ²⁰Tohoku University Hospital, ²¹Nagoya University Hospital, ²²Tenri Hospital, ²³Nihon University Itabashi Hospital, ²⁴Tokyo Medical and Dental University, ²⁵Keio University School of Medicine, ²⁶Tohoku University Graduate School of Medicine, ²⁷Nihon University School of Medicine, ²⁸Wakayama Medical University, ²⁹Kashiwara Municipal Hospital, ³⁰National Cerebral and Cardiovascular Center, ³¹Kyushu University Graduate School of Medical Science, ³²International University of Health and Welfare) Japanese Circulation Society Joint Working Group : JCS 2018 Guideline on Diagnosis and Treatment of Acute Coronary Syndrome. *Circ J*. 25;83(5):1085-1196, 2019.
3. Akita K¹, Kohno T, Kohsaka S², Shiraishi Y², agatomo Y³, Goda A, Mizuno A⁴, Sujino Y⁵, Fukuda K², Yoshikawa T⁶ (¹Hamamatsu University School of Medicine, ²Keio University School of Medicine, ³National Defense Medical College, ⁴St. Lukes International Hospital, ⁵Saitama Medical University International Medical Center, ⁶Sakakibara Heart

- Institute) ; West Tokyo Heart Failure Registry Investigators : Prognostic Impact of Previous Hospitalization in Acute Heart Failure Patients. *Circ J.* 24;83(6):1261-1268, 2019. doi: 10. 1253/circj.
4. Komuro J, Nagatomo Y, Mahara K, Isobe M, Goda A, Sujino Y, Mizuno A, Shiraishi Y, Kohno T, Kohsaka S, Yoshikawa T, West Tokyo Heart Failure (WET-HF) Registry Investigators : Clinical Scenario Classification for Characterization and Outcome Prediction of Acute Decompensated Heart Failure Under Contemporary Phenotyping. *Circ Rep.* 2019. [Epub ahead of print]
 5. Takei M¹, Kohsaka S¹, Shiraishi Y¹, Goda A, Nagatomo Y², Mizuno A³, Suzino Y⁴, Kohno T, Fukuda K¹, Yoshikawa T⁵ (¹Keio University School of Medicine, ²National Defense Medical College, ³St. Luke's International Hospital, ⁴Saitama Medical University, ⁵Sakakibara Heart Institute) : Heart Failure With Midrange Ejection Fraction in Patients Admitted for Acute Decompensation: A Report from the Japanese Multicenter Registry. *J Card Fail* 25(8) 666-673, 2019.
 6. Sato T¹, Soejima K, Maeda A, Mohri T, Tashiro M, Momose Y, Komeda M, Nonoguchi N, Hoshida K, Miwa Y, Ueda A¹, Togashi I (¹Division of Advanced Arrhythmia Management (T.S.,A.U.), the Second Department of Internal Medicine) : Deep Negative Deflection in Unipolar His-Bundle Electrogram as a Predictor of Excellent His-Bundle Pacing Threshold Postimplant . *Circ Arrhythm Electrophysiol* , 12(6):e007415, 2019. doi: 10.1161/CIRCEP.119.007415.
 7. Mano Y¹, Kohno T, Hayashida K², Fukuoka R², Yanagisawa R², Tanaka M², Yashima F², Tsuruta H², Itabashi Y², Murata M², Fukuda K² (¹Ichikawa General Hospital, ²Keio University School of Medicine) : Prevalence, Clinical Profile, and In-hospital Outcomes of Sleep-Disordered Breathing in Patients Undergoing Transcatheter Aortic Valve Implantation in Japan. *Circ Rep.* 2019.[Epub ahead of print]
 8. Miwa Y, Ueda A¹, Komeda M, Takeuchi S, Nagaoka M, Momose Y, Nonoguchi N, Hoshida K, Enomoto M, Togashi I, Maeda A², Hagiwara Y³, Sato T, Soejima K (¹Cardiac Morphology Unit, Department of Paediatrics, Royal Brompton Hospital, ²Division of Advanced Arrhythmia Management, Department of Cardiology, Kyorin University Hospital, ³Division of Engineering, Kyorin University Hospital) : Reducing radiation exposure during atrial fibrillation ablation using lectures to promote awareness. *Open Heart* 6(1):e000982, 2019.doi:10.1136/openhrt-2018-000982.
 9. Yamashita S¹, Takigawa M², Denis A², Derval N², Sakamoto Y³, Masuda M⁴, Nakamura K⁵, Miwa Y, Tokutake K¹, Yokoyama K¹, Tokuda M¹, Matsuo S¹, Naito S⁵, Soejima K, Yoshimura M¹, Haïssaguerre M², Jaïs P², Yamane T¹ (¹The Jikei University School of Medicine, ²Université de Bordeaux, ³Toyohashi Heart Center, ⁴Kansai Rosai Hospital

Cardiovascular Center, ⁵Gunma Prefectural Cardiovascular Center) : Pulmonary vein-gap re-entrant atrial tachycardia following atrial fibrillation ablation: an electrophysiological insight with high-resolution mapping. *Europace* 21(7):1039-1047, 2019. doi: 10.1093/europace/euz034.

10. Matsushita K, Minamishima T, Sakata K, Satoh T, Yoshino H: Prognostic factors for one-year mortality in patients with acute heart failure with and without chronic kidney disease: differential impact of beta-blocker and diuretic treatments. *Hypertens Res* 42(7):1011-1018, 2019. DOI: 10.1038/s41440-018-0204-4.
11. Kohno T, Fukuoka R¹, Kawakami T¹, Kataoka M¹, Kimura M¹, Sano M¹, Fukuda K¹ (¹Keio University School of Medicine) : Balloon Pulmonary Angioplasty Attenuates Sleep Apnea in Patients with Chronic Thromboembolic Pulmonary Hypertension. *Heart Lung* 48(4):321-324, 2019.
12. Shoji S¹, Shiraishi Y¹, Sawano M¹, Katsumata Y¹, Yuasa S¹, Kohno T, Fukuda K¹, Spertus JA^{1, 2}, Kohsaka S¹ (¹Keio University School of Medicine, ²Saint Luke's Mid America Heart Institute) : Discrepancy between patient-reported quality of life and the prognostic assessment of Japanese patients hospitalized with acute heart failure. *Heart Vessels* 34(9):1464-1470, 2019.
13. El-Chami MF¹, Soejima K, Piccini JP², Reynolds D³, Ritter P⁴, Okabe T⁵, Friedman PA⁶, Cha YM⁶, Stromberg K⁷, Holbrook R⁷, Fagan DH⁷, Roberts PR⁸ (¹Emory University, ²Duke University Medical Center and Duke Clinical Research Institute, ³University of Oklahoma Health Sciences Center, OU Medical Center, ⁴CHU/Université de Bordeaux, Pessac, ⁵The Ohio State University Wexner Medical Center, ⁶Mayo Clinic, ⁷Medtronic, plc, ⁸University Hospital Southampton, NHS Foundation Trust) : Incidence and outcomes of systemic infections in patients with leadless pacemakers: Data from the Micra IDE study. *Pacing Clin Electrophysiol* 42(8):1105-1110, 2019. doi:10.1111/pace.13752.
14. Kataoka M¹, Inami T, Kawakami T¹, Fukuda K¹, Satoh T (¹Keio University School of Medicine) : Balloon Pulmonary Angioplasty (Percutaneous Transluminal Pulmonary Angioplasty) for Chronic Thromboembolic Pulmonary Hypertension. A Japanese Perspective. *JACC: Cardiovasc Interv* 12(14):1382-1388, 2019.
15. Inami T, Kataoka M, Kikuchi H, Goda A, Satoh T : Balloon pulmonary angioplasty for symptomatic chronic thromboembolic disease without pulmonary hypertension at rest. *Int J Cardiol* 289:116-118, 2019.
16. Takei M¹, Kohsaka S¹, Shiraishi Y¹, Goda A, Nagatomo Y², Mizuno A³, Suzino Y⁴, Kohno T, Fukuda K¹, Yoshikawa T⁵ (¹Keio University School of Medicine, ²National Defense Medical College, ³St. Luke's International Hospital, ⁴Saitama Medical University,

International Medical Center, ⁵Sakakibara Heart Institute) : Heart Failure With Midrange Ejection Fraction in Patients Admitted for Acute Decompensation: A Report From the Japanese Multicenter Registry. *J Card Fail* 25(8):666-673, 2019. doi: 10.1016/j.cardfail.2019.05.010.

17. Koyama K, Mintz GS¹, Redfors B², Serruys PW³, Bruyne BD⁴, Stone GW⁵, Maehara A¹ (¹Columbia University Medical Center, ² Cardiovascular Research Foundation, ³ Imperial College, ⁴Cardiovascular Center Aalst, ⁵Columbia University Medical Center/NewYork-Presbyterian Hospital) : Impact of the Extent of Circumferential Plaque on Nonculprit Lesion-Related Events. A PROSPECT Substudy, *JACC Cardiovascular Imaging* Volume 12, Issue 9, 2019.
18. Terasaki F¹, Azuma A², Anzai T³, Ishizaka N¹, Ishida Y⁴, Isobe M⁵, Inomata T⁶, Ishibashi-Ueda H⁷, Eishi Y⁸, Kitakaze M⁹, Kusano K³, Sakata Y¹⁰, Shijubo N¹¹, Tsuchida A¹², Tsutsui H¹², Nakajima T¹³, Nakatani S¹⁴, Horii T¹⁴, Yazaki Y¹⁶, Yamaguchi E¹⁷, Yamaguchi T¹⁸, Ide T¹⁹, Okamura H³, Kato Y²⁰, Goya M²¹, Sakakibara M²², Soejima K, Nagai T³, Nakamura H²³, Noda T³, Hasegawa T³, Morita H²⁴, Ohe T²⁵, Kihara Y¹, Saito Y²⁶, Sugiyama Y²⁷, Morimoto S²⁰, Yamashina A²⁸ (¹Osaka Medical College, ²Nippon Medical School, ³National Cerebral and Cardiovascular Center, ⁴Kaizuka City Hospital, ⁵Tokyo Medical and Dental University, ⁶Kitasato University Kitasato Institute Hospital, ⁷National Cerebral and Cardiovascular Center, ⁸Tokyo Medical and Dental University, ⁹National Cerebral and Cardiovascular Center, ¹⁰Osaka University Graduate School of Medicine, ¹¹JR Sapporo Hospital, ¹²Kyushu University Graduate School of Medical Sciences, ¹³Saitama Cardiovascular and Respiratory Center, ¹⁴Osaka University Graduate School of Medicine, ¹⁵Kagawa University School of Medicine, ¹⁶Saku Central Hospital, ¹⁷Aichi Medical University School of Medicine, ¹⁸Shinjuku Kaijou Building Clinic, ¹⁹Kyushu University, ²⁰Fujita Health University, ²¹Tokyo Medical and Dental University, ²²Hokkaido University Graduate School of Medicine, ²³Hiroshima-Nishi Medical Center, ²⁴ Sakakibara Heart Institute of Okayama, ²⁵Hiroshima University, ²⁶Nara Medical University, ²⁷Jichi Medical University, ²⁸Tokyo Medical University) : Japanese Circulation Society Joint Working Group. JCS 2016 Guideline on Diagnosis and Treatment of Cardiac Sarcoidosis- Digest Version. *Circ J* 83(11):2329-2388, 2019. doi: 10.1253/circj.CJ-19-0508.
19. Matsushita K, Harada K¹, Miyazaki T¹, Miyamoto T¹, Kohsaka S¹, Iida K¹, Yamamoto Y¹, Nagatomo Y¹, Yoshino H, Yamamoto T¹, Nagao K¹, Takayama M¹ (¹Tokyo CCU Network Scientific Committee): Younger- vs Older-Old Patients with Heart Failure with Preserved Ejection Fraction. *J Am Geriatr Soc.* 67(10): 2123-2128, 2019. DOI: 10.1111/jgs.160.

20. Okumura Y¹, Nagashima K¹, Arai M¹, Watanabe R¹, Yokoyama K², Matsumoto N², Otsuka T³, Suzuki S³, Hirata A⁴, Murakami M⁵, Takami M⁶, Kimura M⁷, Fukaya H⁸, Nakahara S⁹, Kato T¹⁰, Shimizu W¹¹, Iwasaki YK¹¹, Hayashi H¹¹, Harada T¹², Nakajima I¹², Okumura K¹³, Koyama J¹³, Tokuda M¹⁴, Yamane T¹⁴, Momiyama Y¹⁵, Tanimoto K¹⁵, Soejima K, Nonoguchi N, Ejima K¹⁶, Hagiwara N¹⁶, Harada M¹⁷, Sonoda K¹⁸, Inoue M¹⁹, Kumagai K²⁰, Hayashi H²¹, Satomi K²², Yazaki Y²², Watari Y²³ (¹Nihon University Itabashi Hospital, ²Nihon University Hospital, ³The Cardiovascular Institute, ⁴Osaka Police Hospital, ⁵Shonan-Kamakura General Hospital, ⁶Saiseikai Nakatsu Hospital, ⁷Hirosaki University School of Medicine, ⁸Kitasato University Hospital, ⁹Dokkyo Medical University Saitama Medical Center, ¹⁰Kanazawa University Hospital, ¹¹Nippon Medical Hospital, ¹²St. Marianna University School of Medicine Hospital, ¹³Saiseikai Kumamoto Hospital, ¹⁴Tokyo Jikei University School of Medicine Hospital, ¹⁵National Hospital Organization Tokyo Medical Center, ¹⁶Tokyo Women's Medical University Hospital, ¹⁷Fujita University Health Hospital, ¹⁸Tokyo Rinkai Hospital, ¹⁹Ishikawa Prefectural Central, ²⁰Gunma Cardiovascular Center, ²¹Jntendo University, ²²Tokyo Medical University Hospital, ²³Teikyo University) : Current Status and Clinical Outcomes of Oral Anticoagulant Discontinuation : AF Ablation Frontier Registry. Current Status and Clinical Outcomes of Oral Anticoagulant Discontinuation After Ablation for Atrial Fibrillation in Japan- Findings From the AF Frontier Ablation Registry. *Circ J* 83(12):2418-2427, 2019. doi: 10.1253/circj.CJ-19-0602.
21. Piccini JP¹, Stromberg K², Jackson KP¹, Kowal RC², Duray GZ³, El-Chami MF⁴, Crossley GH⁵, Hummel JD⁶, Narasimhan C⁷, Omar R⁸, Ritter P⁹, Roberts PR¹⁰, Soejima K, Reynolds D¹¹, Zhang S¹², Steinwender C^{13, 14}, Chinitz L¹⁵(¹Duke University Medical Center, ²Medtronic plc, Mounds View, ³ClinicalMedical Centre, ⁴Emory University Hospital, ⁵Vanderbilt University Medical Center, ⁶Ohio State University, ⁷CARE Hospitals and CARE Foundation, ⁸Electrophysiology and Pacing Unit, National Heart Institute, ⁹Hôpital Cardiologique du Haut-Lévêque, Université Bordeaux, ¹⁰University Hospital Southampton, ¹¹University of Oklahoma Health Sciences Center¹²Fuwai Hospita, ¹³Kepler University Hospital, ¹⁴Paracelsus Medical University, ¹⁵New York University) : Micra Transcatheter Pacing Study Group. Patient selection, pacing indications, and subsequent outcomes with de novo leadless single-chamber VVI pacing. *Europace*, 21(11):1686-1693, 2019. doi: 10.1093/europace/euz230.
22. Moriyama H¹, Kohno T, Kohsaka S¹, Shiraishi Y¹, Fukuoka R¹, Nagatomo Y², Goda A, Mizuno A³, Fukuda K¹, Yoshikawa T² (¹Keio University School of Medicine, ²Sakakibara Heart Institute, ³St. Lukes International Hospital) ; West Tokyo Heart Failure Registry Investigators : Length of hospital stay and its impact on subsequent early readmission

in patients with acute heart failure: a report from the WET-HF Registry. *Heart Vessels* 34(11):1777-1788, 2019. doi: 10.1007/s00380-019-01432-y.

23. Goda A, Takeuchi K, Kikuchi H, Finger M, Inami T, Sakata K, Soejima K, Satoh T : Etiology of Exercise-Induced Pulmonary Hypertension Can Be Differentiated by Echocardiography - Insight From Patients With Chronic Pulmonary Thromboembolism With Normal Resting Hemodynamics by Balloon Pulmonary Angioplasty. *Circ J* 83(12):2527-2536, 2019. doi: 10.1253/circj.CJ-19-0489.
24. Miura Y, Higuchi S¹, Matsushita K, Kariyasu T², Machida H², Yokoyama K², Soejima K, Satoh T (¹Department of Emergency and General Medicine, ²Department of Radiology) : Clinical impact of visceral-to-subcutaneous fat ratio in patients with acute aortic dissection. *PLoS One* 14(12), 2019. doi:10.1371/journal.pone.0226642.
25. Sujino Y¹, Nakano S¹, Tanno J¹, Shiraishi Y², Goda A, Mizuno A³, Nagatomo Y⁴, Kohno T, Muramatsu T¹, Nishimura S¹, Kohsaka S², Yoshikawa T⁵ (¹Saitama Medical University, ²Keio University School of Medicine, ³St. Luke's International Hospital, ⁴National Defense Medical College, ⁵Sakakibara Heart Institute) ;West Tokyo Heart Failure Registry Investigators: Clinical implications of the blood urea nitrogen/creatinine ratio in heart failure and their association with haemoconcentration. *ESC Heart Fail* (6):1274-1282, 2019.
26. Takeuchi S, Yamaguchi Y¹, Yoshino H (¹Department of Trauma and Critical Care Medicine, Kyorin University School of Medicine): Non-contrast Computed Tomography of Type A Acute Aortic Dissection in Patients with Out-of-Hospital Cardiopulmonary Arrest: A Case Series, *Eur Heart J Case Rep* 3(4): 1-5, 2019.DOI: 10.1093/ehjcr/ytz218.
27. Cronin EM¹, Bogun FM², Maury P³, Peichl P⁴, Chen M⁵, Namboodiri N⁶, Aguinaga L⁷, Leite LR⁸, Al-Khatib SM⁹, Anter E¹⁰, Berruezo A¹¹, Callans DJ¹², Chung MK¹³, Cuculich P¹⁴, d'Avila A¹⁵, Deal BJ¹⁶, Bella PD¹⁷, Deneke T¹⁸, Dickfeld TM¹⁹, Hadid C²⁰, Haqqani HM²¹, Kay GN²², Latchamsetty R², Marchlinski F¹², Miller JM²³, Nogami A²⁴, Patel AR²⁵, Pathak RK²⁶, Saenz Morales LC²⁷, Santangeli P¹², Sapp JL Jr²⁸, Sarkozy A²⁹, Soejima K, Stevenson WG³⁰, Tedrow UB³¹, Tzou WS³², Varma N¹³, Zeppenfeld K³³ (¹Hartford Hospital, ²University of Michigan Ann Arbor, ³University Hospital, ⁴Institute for Clinical and Experimental Medicine, ⁵Jiangsu Province Hospital The First Affiliated Hospital of Nanjing Medical University, ⁶Sree Chitra Institute for Medical Sciences and Technology, ⁷Centro Privado de Cardiología, ⁸Instituto Brasília de Arritmia, ⁹Duke University Medical Center, ¹⁰Beth Israel Deaconess Medical Center, ¹¹Heart Institute Teknon Medical Center, ¹²University of Pennsylvania, ¹³Cleveland Clinic, ¹⁴Washington University School of Medicine, ¹⁵Hospital Cardiologico SOS Cardio, ¹⁶Northwestern

- University Feinberg School of Medicine, ¹⁷Ospedale San Raffaele, ¹⁸Herz- und Gefäß-Klinik Bad Neustadt Germany, ¹⁹University of Maryland, ²⁰Hospital General de Agudos Cosme Argerich, ²¹University of Queensland The Prince Charles Hospital, ²²University of Alabama, ²³Krannert Institute of Cardiology Indiana University School of Medicine, ²⁴University of Tsukuba Ibaraki, ²⁵University of California San Francisco Benioff Children's Hospital, ²⁶Canberra Hospital Australian National University, ²⁷Cardiac Institute CardioInfantil Foundation, ²⁸Queen Elizabeth II Health Sciences Centre, ²⁹University Hospital Antwerp University of Antwerp, ³⁰Vanderbilt University Heart and Vascular Center, ³¹Brigham and Women's Hospital, ³²University of Colorado, ³³Leiden University Medical Center) : 2019 HRS/EHRA/APHRS/LAHRS expert consensus statement on catheter ablation of ventricular arrhythmias. *J Interv Card Electrophysiol* 2020. doi: 10.1007/s10840-019-00664-2. *J Interv Card Electrophysiol* 2020. doi: 10.1007/s10840-019-00663-3. [Epub ahead of print] *Europace* 22(3):450-495, 2020. doi: 10.1093/europace/euz332. *J Arrhythm* 36(1):1-58, 2020. doi: 10.1002/joa3.2264. eCollection 2020.
28. Kinoshita T¹, Hashimoto K², Yoshioka K³, Miwa Y, Yodogawa K⁴, Watanabe E⁵, Nakamura K⁶, Nakagawa M⁷, Nakamura K⁸, Watanabe T⁹, Yusu S¹⁰, Tachibana M¹¹, Nakahara S¹², Mizumaki K¹³, Ikeda T¹ (¹Toho University, ²National Defense Medical College, ³Tokai University, ⁴Nippon Medical School, ⁵Fujita Health University, ⁶Gunma Cardiovascular Center, ⁷Oita University, ⁸Shin-Yamanote Hospital, ⁹Yamagata University, ¹⁰Inagi Municipal Hospital, ¹¹Okayama University, ¹²Dokkyo Medical University, ¹³University of Toyama) : Risk stratification for cardiac mortality using electrocardiographic markers based on 24-hour Holter recordings: the JANIES-SHD study. *J Cardiol* 75(2):155-163, 2020. doi: 10.1016/j.jjcc.2019.07.012.
29. Chen M¹, Wu S², Yao Y³, Jiang J⁴, Jiang C⁵, Xue Y², Zhan X², Hu H⁴, Fu F⁵, Gu K¹, Liu H¹, Ding L³, Jiang R⁵, Chung F⁶, Lin YJ⁶, Hori Y⁷, Komatsu Y⁸ Ueda A, Soejima K, Kim YH⁹, Nogami A⁸, Nakahara S⁷, Chen SA⁶, Tung R¹⁰ (¹Jiangsu Province Hospital, ²Guangdong General Hospital, ³Fuwai Cardiovascular Hospital, ⁴West China Hospital, ⁵Sir Run Run Shaw Hospital, ⁶Taipei Veterans General Hospital, ⁷Saitama Medical Center, ⁸University of Tsukuba, ⁹Korea University Anam Hospital, ¹⁰The University of Chicago Medicine) : Pan-Asia United States PrEvention of Sudden Cardiac Death Catheter Ablation Trial (PAUSE-SCD): Rationale and study design. *J Interv Card Electrophysiol*. 57:271-278, 2020.
30. Matsushita K, Harada K¹, Miyazaki T¹, Miyamoto T¹, Kohsaka S¹, Iida K¹, Yamamoto Y¹, Nagatomo Y¹, Yoshino H, Yamamoto T¹, Nagao K¹, Takayama M¹ (¹Tokyo CCU Network Scientific Committee): Reply to: Heart Failure With Preserved Ejection

Fraction in Older Adults. *J Am Geriatr Soc.* 68(3): 665-666, 2020. DOI: 10.1111/jgs.16301.

31. Mizuno A¹, Miyashita M², Kohno T, Tokuda Y³, Fujimoto S⁴, Nakamura M⁵, Takayama M⁶, Niwa K⁷, Fukuda T⁷, Ishimatsu S¹, Kinoshita S¹, Oishi S⁸, Mochizuki H⁷, Utsunomiya A⁸, Takada Y⁹, Ochiai R¹⁰, Mochizuki T¹¹, Nagao K¹², Yoshida S¹³, Hayashi A¹, Sekine R¹⁴, Anzai T¹⁵ : (¹St. Luke's International Hospital , ²Juntendo University Graduate School of Medicine, ³Muribushi Project for Teaching Hospitals, ⁴Kyoto University, ⁵Toho University Ohashi Medical Center, ⁶Sakakibara Heart Institute, ⁷Kanagawa University of Human Service, ⁸Himeji Cardiovascular Center, ⁹National Cerebral and Cardiovascular Center, ¹⁰Yokohama City University, ¹¹Cancer Institute, ¹²Nihon University Hospital, ¹³Graduate School of Education, Tohoku University, ¹⁴Kameda Medical Center, ¹⁵Hokkaido University Graduate School of Medicine) : Quality indicators of palliative care for acute cardiovascular diseases.*J Cardiol.* 2020. [Epub ahead of print]
32. Sato T, Soejima K, Maeda A, Mohri T, Tashiro M, Momose Y, Komeda M, Nonoguchi N, Hoshida K, Miwa Y, Ueda A, Togashi I: Deep Negative Deflection in Unipolar His-Bundle Electrogram as a Predictor of Excellent His-Bundle Pacing Threshold Postimplant. *Circ Arrhythm Electrophysiol.* 12(6):e007415, 2019.
33. Chen M¹, Wu S², Yao Y³, Jiang J⁴, Jiang C⁵, Xue Y², Zhan X², Hu H⁴, Fu F⁵, Gu K¹, Liu H¹, Ding L³, Jiang R⁵, Chung F⁶, Lin YJ⁶, Hori Y⁷, Komatsu Y⁸ Ueda A, Soejima K, Kim YH⁹, Nogami A⁸, Nakahara S⁷, Chen SA⁶, Tung R¹⁰ (¹Jiangsu Province Hospital, ²Guangdong General Hospital, ³Fuwai Cardiovascular Hospital, ⁴West China Hospital, ⁵Sir Run Run Shaw Hospital, ⁶Taipei Veterans General Hospital, ⁷Saitama Medical Center, ⁸University of Tsukuba, ⁹Korea University Anam Hospital, ¹⁰The University of Chicago Medicine) : Pan-Asia United States PrEvention of Sudden Cardiac Death Catheter Ablation Trial (PAUSE-SCD): Rationale and study design. *J Interv Card Electrophysiol.* 57:271-278, 2020.
34. Ueda A, Soejima K¹, Nakahara S², Fukuda R², Fukamizu S³, Kawamura I³, Miwa Y¹, Mohri T², Katsume Y², Momose Y², Tashiro M², Nonoguchi N², Hoshida K², Togashi I¹, Sato T, Maeda A¹, Hagiwara Y⁴ (¹Department of Cardiovascular Medicine, ²Dokkyo Medical University Saitama Medical Center, ³Tokyo Metropolitan Hiroo Hospital, ⁴Division of Engineering): Conduction Slowing Area during Sinus Rhythm Harbors Ventricular Tachycardia Isthmus. *J Cardiovasc Electrophysiol.* 31:440-449, 2020. doi: 10.1111/jce.14339.
35. Higuchi S, Kabeya Y^{1,2}, Matsushita K, Arai N³, Tachibana K³, Tanaka R³, Kawachi R⁴, Takei H³, Suzuki Y⁵, Kogure M⁵, Imanishi Y⁶, Moriyama K⁷, Yorozu T⁷, Saito

- K⁸, Abe N⁵, Sugiyama M⁵, Kondo H³, Yoshino H (¹Tokai University, ²Saiyu Clinic, ³Department of General Thoracic Surgery, Kyorin University School of Medicine, ⁴Nihon University School of Medicine, ⁵Department of Surgery, Kyorin University School of Medicine, ⁶Kawasaki Municipal Kawasaki Hospital, ⁷Department of Anesthesiology, ⁸Department of Otolaryngology-Head and Neck Surgery) : Incidence and complications of perioperative atrial fibrillation after non-cardiac surgery for malignancy. *PLoS One*. 14(5).e0216239. 2019.
36. Higuchi S, Suzuki M¹, Horiuchi Y¹, Tanaka H¹, Saji M¹, Yoshino H¹, Nagao K¹, Yamamoto T¹, Takayama M¹ (¹Tokyo CCU Network Scientific Committee) : Higher non-cardiac mortality and lesser impact of early revascularization in patients with type 2 compared to type 1 acute myocardial infarction: results from the Tokyo CCU Network registry. *Heart Vessels*. 34(7).1140-1147. 2019.
37. Higuchi S⁸, Kabeya Y¹, Matsushita K, Arai N², Tachibana K², Tanaka R², Kawachi R³, Takei H², Suzuki Y⁴, Kogure M⁴, Imanishi Y⁵, Moriyama K⁶, Sugiyama M⁴, Yorozu T⁶, Saito K⁷, Abe N³, Kondo H², Yoshino H (¹Tokai University, Sowa Hospital, ²Department of General Thoracic Surgery, Kyorin University School of Medicine, ³Nihon University School of Medicine, ⁴Department of Surgery, Kyorin University School of Medicine, ⁵Kawasaki Municipal Kawasaki Hospital, ⁶Department of Anesthesiology, Kyorin University School of Medicine, ⁷Department of Otolaryngology-Head and Neck Surgery, Kyorin University School of Medicine, ⁸Emergency and General Medicine, Kyorin University School of Medicine) : Perioperative Atrial Fibrillation in Noncardiac Surgeries for Malignancies and One-Year Recurrence. *Can J Cardiol*. 35(11).1449-1456. 2019.
38. Akutsu K^{1, 2}, Yoshino H², Shimokawa T², Ogino H², unihara T², Takahashi T², Usui M², Watanabe K², Tobaru T², Hagiya K², Shimizu W^{1,2}, Niino T², Kawata M², Masuhara H², Watanabe Y², Yoshida N², Yamamoto T², Nagao K², Takayama M (¹Nippon Medical School Hospital, ²Tokyo CCU Network Scientific Committee.) and Tokyo Acute Aortic Super Network : Is systolic blood pressure high in patients with acute aortic dissection on first medical contact before hospital transfer? *Heart Vessels*. 34(11).1748-1757. 2019.
39. Yamaguchi T¹, Nakai M², Sumita Y², Miyamoto Y², Matsuda H², Inoue Y², Yoshino H, Okita Y³, Minatoya K⁴, Ueda Y⁵, Ogino H⁶ (¹Toranomon Hospital, ²National Cerebral and Cardiovascular Center, ³Kobe University Graduate School of Medicine, ⁴Kyoto University Graduate School of Medicine, ⁵Nara Prefecture General Medical Center, ⁶Tokyo Medical University) : Current status of the management and outcomes of acute aortic dissection in Japan : Analyses of nationwide Japanese Registry of All

- Cardiac and Vascular Diseases-Diagnostic Procedure Combination data. *Eur Heart J Acute Cardiovasc Car.* 2019. doi: 10.1177/2048872619872847.
40. Kubota H¹, Endo H¹, Ishii H¹, Tsuchiya H¹, Inaba Y¹, Terakawa K², Takahashi Y³, Noma M⁴, Takemoto K⁵, Taniai S, Sakata K, Soejima K, Shimoyamada H⁶, Kamma H⁶, Kawakami H⁷, Kaneko Y⁸, Hirono S⁹, Izumi D⁹, Ozaki K¹⁰, Minamino T¹⁰, Yoshino H¹¹, Sudo K¹¹ (¹Department of Cardiovascular Surgery, Kyorin University, ²University of Tokyo, ³National Disaster Medical Center, ⁴Tokyo Metropolitan Children's Medical Center, ⁵Jyukoukai Hospital, ⁶Department of Pathology, Kyorin University, ⁷Department of Anatomy, Kyorin University, ⁸National Center for Child Health and Development, ⁹Niigata University Graduate School of Medical and Dental Sciences, ¹⁰Jiseikai Nomura Hospital) : Adult ALCAPA: from histological picture to clinical features. *J Cardiothorac Surg.* 15(1).14. 2020.
 41. Nishina Y, Inami T, Kataoka M¹, Kariyasu T¹, Shimura N, Ishiguro H, Yokoyama K², Yoshino H, Satoh T (¹Keio University School of Medicine, ²Department of Radiology, Kyorin University School of Medicine) : Evaluation of right ventricular function on cardiac magnetic resonance imaging and correlation with hemodynamics in patients with chronic thromboembolic pulmonary hypertension. *Circ rep.* 2(3). 174-181. 2020.
 42. Inoue Y¹, Matsuda H¹, Uchida K², Komiya T³, Koyama T⁴, Yoshino H, Ito T⁵, Shiiya N⁶, Saiki Y⁷, Kawaharada N⁸, Nakai M⁹, Iba Y¹⁰, Minatoya K¹¹, Ogino H¹² (¹National Cerebral and Cardiovascular Center, ²Yokohama City University Medical Center, ³Kurashiki Central Hospital, ⁴Kobe City Medical Center General Hospital, ⁵Japanese Red Cross Nagoya Daiichi Hospital, ⁶Hamamatsu University School of Medicine, ⁷Tohoku University Graduate School of Medicine, ⁸Sapporo Medical University School of Medicine, ⁹Teine Keijinkai Hospital, ¹⁰Graduate School of Medicine, ¹¹Kyoto University, ¹²Tokyo Medical University) : Analysis of acute type A aortic dissection in Japan registry of aortic dissection (JRAD) . *Ann Thorac Surg.* 2020. doi: 10.1016/j.athoracsur.2019.12.051.. [Epub ahead of print]
 38. Kongoji K, Mitarai T¹, Kasahara M¹, Yamazaki H¹, Ishibashi Y¹, Koyama K¹, Yoneyama K¹, Tanabe Y¹, Akashi Y¹J, Yoshino H (¹St. Marianna University School of Medicine) : Minimally invasive percutaneous transluminal renal artery stenting. *Int J Cardiol.* 252.5256. 2018.
 39. Matsushita K, Sakata K, Satoh T, Yoshino H : Estimated Pulmonary Artery Systolic Pressure and Mortality in Older-Elderly Heart Failure Patients. *J Am Geriatr Soc.* 67(2).323-328. 2019.
 40. Kaita Y¹, Tarui T, Yoshino H, Matsuda T¹, Yamaguchi Y¹, Nakagawa T², Asahi M²,

Ii M² (¹Department of Trauma and Critical Care Medicine, Kyorin University School of Medicine, ²Osaka Medical College) : Sufficient therapeutic effect of cryopreserved frozen adipose-derived regenerative cells on burn wounds. *Regen Ther.* 10.92-103. 2019.

41. Higuchi S, Kabeya Y^{1, 2}, Matsushita K, Yamasaki S, Ohnishi H³, Yoshino H (¹Tokai University, ²Saiyu Clinic, Department of Laboratory Medicine, Kyorin University School of Medicine) : Urinary cast is a useful predictor of acute kidney injury in acute heart failure. *Sci Rep*9(1).4352. 2019.

1. Togashi I, Sato T, Hoshida K, Soejima K : Subclinical cardiac perforation caused by a Micra™ leadless pacemaker. *J Arrhythm*34(3):326-328,2018. doi: 10.1002/joa3.12052.
2. Shiraishi Y, Nagai T, Kohsaka S, Goda A, Nagatomo Y, Mizuno A, Kohno T, Rigby A, Fukuda K, Yoshikawa T, Clark AL, Cleland JGF : Outcome of hospitalised heart failure in Japan and the United Kingdom stratified by plasma N-terminal pro-B-type natriuretic peptide. *Clin Res Cardiol.* 2018 .
3. Tanabe N, Kawakami T, Satoh T, Matsubara H, Nakanishi N, Ogino H, Tamura Y, Tsujino I, Ogawa A, Sakao S, Nishizaki M, Ishida K, Ichimura Y, Yoshida M, Tatsumi K : Balloon pulmonary angioplasty for chronic thromboembolic pulmonary hypertension: A systematic review. *Respir Investig.* 2018 Jul;56(4):332-341, 2018.
4. Gamou S, Kataoka M, Aimi Y, Chiba T, Momose Y, Isobe S, Hirayama T, Yoshino H, Fukuda K, Satoh T : Genetics in pulmonary arterial hypertension in a large homogeneous Japanese population. *Clin Genet.* 2018 Jul;94(1):70-80, 2018.
5. Miura Y, Kataoka M, Chiba T, Inami T, Yoshino H, Satoh T : Giant Fold Gastritis Induced by Epoprostenol Infusion in Patients With Pulmonary Arterial Hypertension. *Circ J.* 2018 Sep 25;82(10):2676-2677, 2018.
6. Young A, Nagaraja V, Basilious M, Habib M, Townsend W, Gladue H, Badesch D, Gibbs JSR, Gopalan D, Manes A, Oudiz R, Satoh T, Torbicki A, Torres F, McLaughlin V, Khanna D : Update of screening and diagnostic modalities for connective tissue disease-associated pulmonaryarterial hypertension. *Semin Arthritis Rheum.* pii: S0049-0172(18)30446-3, 2018 .
7. Conte G, Soejima K, de Asmundis C, Chierchia GB, Badini M, Miwa Y, Caputo ML, Özkartal T, Maffessanti F, Sieira J, Degreef Y, Stroker E, Regoli F, Moccetti T, Brugada P, Auricchio A : Value of high-resolution mapping in optimizing cryoballoon ablation of atrial fibrillation. *Int J Cardiol.* 270:136-142, 2018.doi: 10.1016/j.ijcard.2018.05.135.
8. Hiraide T, Kataoka M, Suzuki H, Aimi Y, Chiba T, Kanekura K, Satoh T, Fukuda K, Gamou S, Kosaki K : SOX17 Mutations in Japanese Patients with Pulmonary Arterial Hypertension. *Am J Respir Crit Care Med* : 198(9):1231-1233, 2018 .
9. Nagaoka M, Goda A, Takeuchi K, Kikuchi H, Finger M, Inami T, Soejima K, Satoh T : Nocturnal Hypoxemia, But Not Sleep Apnea, Is Associated With a Poor Prognosis in Patients With Pulmonary Arterial Hypertension. *Circ J*82(12) : 3076-3081, 2018 .
10. Suzuki H, Kataoka M, Hiraide T, Aimi Y, Yamada Y, Katsumata Y, Chiba T, Kanekura K, Isobe S, Sato Y, Satoh T, Gamou S, Fukuda K, Kosaki K : Genomic Comparison With Supercentenarians Identifies RNF213 as a Risk Gene for PulmonaryArterial

Hypertension. *Circ Genom Precis Med*11(12) : e13945, 2018 .

11. Matsushita K, Harada K1, Miyazaki T1, Miyamoto T1, Iida K1, Tanimoto S1, Yagawa M1, Takei M1, Nagatomo Y1, Hosoda T1, Yoshino H, Yamamoto T1, Nagao K1, Takayama M1 (1Tokyo CCU Network Scientific Committee) : Effects of glycemic control on in-hospital mortality among acute heart failure patients with reduced, mid-range, and preserved ejection fraction. *Heart Vessels* 33(9):1022-1028, 2018. DOI: 10. 1007/s00380-018-1152-2.
12. Yamamoto MH, Maehara A, Kim SS, Koyama K, Kim SY, Ishida M, Fujino A, Haag ES, Alexandru D, Allen Jermias A, Sosa FA, Galougahi KK, Kirtane AJ, Moses JW, Ali ZA, Mintz GS, Shlofmitz RA : Effect of orbital atherectomy in calcified coronary artery lesions as assessed by optical coherence tomography. *Catheter Cardiovasc Interv*. Epub ahead of print 2018.
13. Kim SS, Yamamoto MH, Maehara A, Sidik N, Koyama K, Berry C, Oldroyd KG, GintzGS, Margaret McEntegart M : Intravascular ultrasound assessment of the effects of rotational atherectomy in calcified coronary artery lesions. *International Journal of Cardiovascular Imaging* 34 : 1365-137, 2018.
14. Mizumi S, Goda A, Takeuchi K, Kikuchi H, Inami T, Soejima K, Satoh T : Effects of body position during cardiopulmonary exercise testing with right heart catheterization. *Physiol Rep* : 6(23):e13945, 2018 .
15. Higuchi S, Kabeya Y1, 2, Uchida J3, Kato K3, Tsukada N3 (1Division of General Internal Medicine Department of Internal Medicine Tokai University, 2Department of Home Care Medicine Saiyu Clinic, 3Department of Internal Medicine Tokyo Saiseikai Central Hospital): Low Bilirubin Levels Indicate a High Risk of Cerebral Deep White Matter Lesions in Apparently Healthy Subjects. *Scientific Reports* 8(1) : 6473, 2018.
16. Yamazoe M, Mizuno A, Kohsaka S, Shiraishi Y, Kohno T, Goda A, Higuchi S, Yagawa M, Nagatomo Y, Yoshikawa T, West Tokyo Heart Failure Registry Investigators Tokyo, Japan : Incidence of hospital-acquired hyponatremia by the dose and type of diuretics among patients with acute heart failure and its association with long-term outcomes. *J Cardiol*71(6) : 550-556, 2018 .
17. Nagai T, Sundaram V, Shoaib A, Shiraishi Y, Kohsaka S, Rothnie KJ, Piper S, McDonagh TA, Hardman SMC, Goda A, Mizuno A, Sawano M, Rigby AS, Quint JK, Yoshikawa T Clark AL, Anzai T, Cleland JGF : Validation of U. S. mortality prediction models for hospitalized heart failure in the United Kingdom and Japan. *Eur J Heart Fail*. 20(8):1179-1190, 2018 .
18. Shiraishi Y, Kohsaka S, Nagai T, Goda A, Mizuno A, agatomo Y, Sujino Y, Fukuoka

- R, Sawano M, Kohno T, Fukuda K, Anzai T, Shadman R, Dardas T, Levy WC, Yoshikawa T : Validation and Recalibration of Seattle Heart Failure Model in Japanese Acute Heart Failure Patients. *J Card Fail*, 2018 .
19. Nagai T, Sundaram V, Rothnie K, Quint JK, Shoaib A, Shiraishi Y, Kohsaka S, Piper S, McDonagh TA, Hardman SMC, Goda A, Mizuno A, Kohno T, Rigby AS, Yoshikawa T, Clark AL, Anzai T, Cleland JGF : Mortality after admission for heart failure in the UK compared with Japan. *Open Heart* 5(2) : e000811. 2018 .
 20. Higuchi S, Miura Y, Nishina Y, Koyama K, Kongoji K, Matsushita K, Soejima K. : Successful contemporary reverse controlled antegrade and retrograde subintimal tracking without contrast medium: a case report. *J Med Case Rep* 12:390, 2018.
 21. Higuchi S, Matsushita K, Niina Y, Sakata K, Satoh T, Yoshino H : Myocardial injury caused by severe blow: Importance of carefulness in accurate diagnosis. *Int Heart J* 59(4) : 845-847, 2018. DOI: 10.1536/ihj. 17-345
 22. Higuchi S, Suzuki M1, Horiuchi Y1, Tanaka H1, Saji M1, Yoshino H1, Nagao K1, Yamamoto T1, Takayama M1 (1Tokyo CCU Network Scientific Committee): Clinical Impact of Thrombus Aspiration on In-hospital Mortality in Each Culprit Lesion in the Setting of ST-segment Elevation Myocardial Infarction. *Heart and Vessels*. 33(10) : 1168–1174, 2018.
 23. Higuchi S, Kabeya Y1, 2, Matsushita K, Tachibana K3, Kawachi R4, Takei H3, Suzuki Y5, Abe N5, Imanishi Y6, Moriyama K7, Yorozu T7, Saito K8, Sugiyama M5, Kondo H3, Yoshino H (1Division of General Internal Medicine Department of Internal Medicine Tokai University, 2Department of Home Care Medicine Saiyu Clinic, 3Department of General Thoracic Surgery, 4Department of General Thoracic Surgery Nihon University School of Medicine, 5Department of Surgery, Kyorin University School of Medicine, 6Department of Otorhinolaryngology Head and Neck Surgery Kawasaki Municipal Kawasaki Hospital;, 7Department of Anesthesiology, Kyorin University School of Medicine, 8Department of Otolaryngology-Head and Neck Surgery, Kyorin University School of Medicine) : The study protocol for PREDICT AF RECURRENCE: a PRospEctive cohort stuDY of surveIllanCe for perioperaTive Atrial Fibrillation RECURRENCE in major non-cardiac surgery for malignancy. *BMC Cardiovasc Disord*. 18(1) : 127, 2018.
 24. Higuchi S, Miura Y, Nishina Y, Koyama K, Kongoji K, Matsushita K, Soejima K : Effects of body position during cardi controlled antegrade and retrograde subintimal tracking without contrast medium: a case report. *J ion RECURRENCE in major non-cardiac surgery for malignancy. BMC Cardiovasc Disord. Med Case Rep*18(1) : 127, 12(1):390, 2018.

25. Conte G, Soejima K, de Asmundis C, Chierchia GB, Badini M, Miwa Y, Caputo ML, Özkartal T, Maffessanti F, Sieira J, Degreef Y, Stroker E, Regoli F, Moccetti T, Brugada P, Auricchio A: Value of high-resolution mapping in optimizing cryoballoon ablation of atrial fibrillation. *Int J Cardiol* 270 : 136-142, 2018.
26. Komeda M, Mwa Y, Ueda A, Soejima K : Ultra-high-density mapping of left atrial and pulmonary vein macroreentry using double conduction gaps . *J Cardiovasc Electrophysiol. Idiopathic Ventricular Arrhythmia* 29 : 630-631, 2018.
27. Matsushita K, Sakata K, Satoh T, Yoshino H : Estimated Pulmonary Artery Systolic Pressure and Mortality in Older-Elderly Heart Failure Patients. *J Am Geriatr Soc* 67 : 323-328, 2018.
28. Higuchi S, Matsushita K, Niina Y, Sakata K, Satoh T, Yoshino H : Myocardial Injury Caused by Severe Blow: Importance of Carefulness in Accurate Diagnosis. *Int Heart J.* 59:845-847, 2018.
29. Yada H, Soejima K : Management of arrhythmias associated with cardiac sarcoidosis. *Korean Circ U49* : 119-133, 2019.
30. Frost A, Badesch D, Gibbs JSR, Gopalan D, Khanna D, Manes A, Oudiz R, Satoh T, Torres F, Torbicki A : Diagnosis of pulmonary hypertension. *Eur Respir J* : 53(1), 2019 .
31. Matsushita K, Sakata K, Satoh T, Yoshino H : Estimated pulmonary artery systolic pressure and mortality in older-elderly heart failure patients. *J Am Geriatr Soc* 67(2): 323-328, 2019. DOI: 10.1111/jgs.15663
32. Matsushita K, Harada K1, Miyazaki T1, Miyamoto T1, Kohsaka S1, Iida K1, Tanimoto S1, Takei M1, Hosoda T1, Yamamoto Y1, Shiraishi Y1, Yoshino H, Yamamoto T1, Nagao K1, Takayama M1 (1Tokyo CCU Network Scientific Committee) : Different prognostic associations of beta-blockers and diuretics in heart failure with preserved ejection fraction with versus without high blood pressure. *J Hypertens* 37(3): 643-649, 2019. DOI: 10. 1097/HJH. 0000000000001932
33. El-Chami MF, Johansen JB, Zaidi A, Faerstrand S, Reynolds D, Garcia-Seara J, Mansourati J, Pasquie JL, McElderry HT, Roberts PR, Soejima K, Stromberg K, Piccini JP : Leadless pacemaker implant in patients with pre-existing infections: Results from the Micra postapproval registry. *J Cardiovasc Electrophysiol* 2019 . doi: 10.1111/jce.13851. [Epub ahead of print]
34. EL-Chami MF, Clementy N, Garweg C, Omar R, Duray GZ, Gornick CC, Leyva F, Sagi V, Piccini JP, Soejima K, Stromberg K, Roberts PR : Leadless pacemaker implantation in hemodialysis patients: experience with the Micra transcatheter pacemaker. *JACC Clin Electrophysiol* (5) :162-70, 2019.

35. Ueda A, Soejima K, Miwa Y, Takeuchi S, Nagaoka M, Momose Y, Matsushita N, Hoshida K, Miyakoshi M, Togashi I, Maeda A, Hagiwara Y, Sato T, Yoshino H : Idiopathic Ventricular Arrhythmia Ablation Using Non-Fluoroscopic Catheter Visualization System. *Int Heart J.* 60(1) : 78-85, 2019 . Doi:10. 1536/ihj. 18-122.
36. Higuchi S, Kohsaka S1, Shiraishi Y1, Katsuki T1, Nagatomo Y2, Mizuno A3, Sujino Y4, Kohno T1, Goda A, Yoshikawa T2 (1Department of Cardiology Keio University School of Medicine , 2Department of Cardiology Sakakibara Heart Institute , 3Department of Cardiology St. Luke's International Hospital, 4Department of Cardiology Saitama Medical University International Medical Center): Association of Renin-Angiotensin System Inhibitors with Long-Term Outcomes in Patients with Systolic Heart Failure and Moderate-to-Severe Kidney Function Impairment. *European Journal of Internal Medicine*62 : 58–66, 2019.
37. Higuchi S, Kabeya Y1, 2, Matsushita K, Yamasaki S3, Ohnishi H, Yoshino H3 (1Division of General Internal Medicine Department of Internal Medicine Tokai University;, 2Department of Home Care Medicine Saiyu Clinic, 3Department of Laboratory Medicine, Kyorin University School of Medicine): Urinary cast is a useful predictor of acute kidney injury in acute heart failure. *Scientific Reports* 13;9(1) : 4352, 2019.
38. Higuchi S, Suzuki M1, Horiuchi Y1, Tanaka H1, Saji M1, Yoshino H1, Nagao K1, Yamamoto T1, Takayama M1 (1Tokyo CCU Network Scientific Committee) : Higher non-cardiac mortality and lesser impact of early revascularization in patients with type 2 compared to type 1 acute myocardial infarction: results from the Tokyo CCU Network registry. *Heart Vessels* 2019. DOI: 10. 1007/s00380-019-01350-z. Epub
39. Yamashita S, Takigawa M, Denis A, Derval N, Sakamoto Y, Masuda M, Nakamura K, Miwa Y, Tokutake K, Yokoyama K, Tokuda M, Matsuo S, Naito S, Soejima K, Yoshimura M, Haïssaguerre M, Jaïs P, Yamane T : Pulmonary vein-gap re-entrant atrial tachycardia following atrial fibrillation ablation: an electrophysiological insight with high-resolution mapping. *Europace.* 2019.
40. Koyama K, Fujino A, Maehara A, Yamamoto MH, Alexandru D, Jennings J, Krug P, Santiago LM, Murray M, Bongiovanni L, Lee T, Kim S-Y, Wang X, Lin Y, Matsumura M, li ZA, Sosa F, Haag E, Mintz GS, Shlofmitz RA : A Prospective, Single-Center, Randomized Study to Assess Whether Automated Co-Registration of OCT with Angiography Can Reduce Geographic Miss . *Catheter Cardiovasc Intervention* 93(3):411-418, 2019.
41. Koyama K, Mintz GS, Redfors B, Serruys PW, Bruyne BD, Erlinge D Stone GW, Maehara A : Impact of the Extent of Circumferential Plaque on Non-Culprit Lesion-

Related Events ; A PROSPECT Substudy. *Journal of American College of Cardiology Cardiovascular Imaging*. Epub ahead of print, 2019.

42. Isogai T, Yoshikawa T, Ueda T, Yamaguchi T, Imori Y, Maekawa Y, Sakata K, Murakami T, Mochizuki H, Arao K, Kimura A, Nagao K, Yamamoto T, Takayama M : Takotsubo syndrome versus anterior acute myocardial infarction: findings from the Tokyo Cardiovascular Care Unit network registry. *Eur Heart J Acute Cardiovasc Care*8:86-89, 2019.
43. Togashi I, Sato T, Hoshida K, Soejima K : Subclinical cardiac perforation caused by a Micra™ leadless pacemaker. *J Arrhythm* 34(3):326-328, 2018 Apr 6 doi: 10.1002/joa3.12052.
44. Ueda A, Soejima K, Miwa Y, Takeuchi S, Nagaoka M, Momose Y, Matsushita N, Hoshida K, Miyakoshi M, Togashi I, Maeda A, Hagiwara Y, Sato T, Yoshino H : (Department of Cardiology): Idiopathic Ventricular Arrhythmia Ablation Using Non-Fluoroscopic Catheter Visualization System. *Int Heart J*. 60(1):78-85, 2019 . Doi: 10. 1536/ihj. 18-122.

1. El Chami M, Kowal RC, Soejima K, Ritter P, Duray GZ, Neuzil P, Mont L, Kypta A, Sagi V, Hudnall JH, Stromberg K, Reynolds D: Impact of operator experience and training strategy on procedural outcomes with leadless pacing: Insights from the Micra Transcatheter pacing study. *Pacing Clin Electrophysiol.* 40(7):834-842, 2017.
2. Duray GZ, Ritter P, El-Chami M, Narasimhan C, Omar R, Tolosana JM, Zhang S, Soejima K, Steinwender C, Rapallini L, Cicic A, Fagan DH, Liu S, Reynolds D; Micra Transcatheter Pacing Study Group: Long-term performance of a transcatheter pacing system: 12-Month results from the Micra Transcatheter Pacing Study. *Heart Rhythm.* 14(5):702-709, 2017.
3. Piccini JP, Stromberg K, Jackson KP, Laager V, Duray GZ, El-Chami M, Ellis CR, Hummel J, Jones DR, Kowal RC, Narasimhan C, Omar R, Ritter P, Roberts PR, Soejima K, Zhang S, Reynolds D; Micra Transcatheter Pacing Study Group: Long-term outcomes in leadless Micra transcatheter pacemakers with elevated thresholds at implantation: Results from the Micra Transcatheter Pacing System Global Clinical Trial. *Heart Rhythm.* 14(5):685-691, 2017.
4. Sato T, Soejima K, Yoshino H, Shoda M: Unusual fracture in a Durata lead with shock coil fragmentation and cable externalization. *HeartRhythm Case Rep.* 3(7):327-331, 2017.
5. Ueda A, Nagaoka M, Soejima K, Miwa Y, Matsushita N: Epicardial access and ventricular tachycardia ablation in a postmyocarditis patient using a nonfluoroscopic catheter visualization system. *HeartRhythm Case Rep.* 3(9):411-414, 2017.
6. Momose Y, Soejima K, Ueda A, Arai T, Koyanagi M, Hagiwara Y, Togashi I, Miwa Y, Hoshida K, Miyakoshi M, Matsushita N, Nagaoka M, Sato T, Nitatori T, Yoshino H: Elongated ascending aorta predicts a short distance between his-bundle potential recording site and coronary sinus ostium. *J Arrhythm.* 33(4):318-323, 2017.
7. Ogawa A1, Satoh T, Tamura Y3, Fukuda K3, Matsubara H1 (1National Hospital Organization Okayama Medical Center, 3Keio University School of Medicine) : Survival of Japanese Patients With Idiopathic/Heritable Pulmonary Arterial Hypertension. *Am J Cardiol* 119(9) : 1479-1484, 2017.
8. Funabashi S, Kataoka M1, Inami T, Kikuchi T2, Yanagisawa R, Ishiguro C, Okamoto S3, Yoshino H, Watanabe K2, Satoh T (1Keio University School of Medicine, 2Department of Neuropsychiatry, Kyorin University School of Medicine, 3Department of General Medicine, Kyorin University School of Medicine) : Depressive Status in Patients With Chronic Thromboembolic Pulmonary Hypertension. *Circ J.* 81(7) :

1051-1053, 2017.

9. Kimura G, Kataoka M1, Inami T, Fukuda K1, Yoshino H, Satoh T (1 Keio University School of Medicine) : Sorafenib as a potential strategy for refractory pulmonary arterial hypertension. *Pulm Pharmacol Ther.* 4 : 46-49, 2017.
10. Kimura M1, Tamura Y1,2,3,4,5, Guignabert C2,4, Takei M1, Kosaki K1, Tanabe N1, 6, Tatsumi K6, Saji T7, Satoh T, Kataoka M1, Kamitsuji S8, Kamatani N8, Thuillet R2,4, Tu L2,4, Humbert2,3,4, Fukuda K1, Sano M1(1Keio University School of Medicine, 2Univ Paris-Sud, 3Hôpital Bicêtre, 4Hôpital Marie Lannelongue, 5 International University of Health and Welfare Mita Hospita, 6Chiba University, 7Toho University, Medical Center, 8 StaGen Co. Ltd.) : A genome-wide association analysis identifies PDE1A|DNAJC10 locus on chromosome 2 associated with idiopathic pulmonary arterial hypertension in a Japanese population. *Oncotarget* 8(43) : 74917-74926, 2017. DOI: 10.1016/j.jiac.2017.02.003.
11. Minamishima T, Matsushita K, Morikubo H, Isaka A, Matsushita N, Endo H1, Kubota H, Sakata K, Satoh T, Yoshino H (1Department of Cardiovascular Surgery, Kyorin University School of Medicine) : Considerations in cardio-oncology : Multiple mobile left-sided cardiac thrombi in chemotherapy-induced cardiomyopathy. *J Infect Chemother* 23(7):488-492, 2017.
12. Tanaka H1,2, Kataoka M1, Isobe S1, Yamamoto T1, Shirakawa K1, Endo J1, Satoh T, Hakamata Y2, Kobayashi E1, Sano M1, Fukuda K1 (1Keio University School of Medicine, 2Actelion Pharmaceuticals Japan Ltd., 3Nippon Veterinary and Life Science University) : Therapeutic impact of dietary vitamin D supplementation for preventing right ventricular remodeling and improving survival in pulmonary hypertension. *PLoS One* 12(7) : e0180615, 2017.
13. Tanabe N1, Ikeda S2, Tahara N3, Fukuda K4, Hatano M5, Ito H6, Nakayama T7, Anzai T, Hashimoto A9, Inoue T10, Kajinami K11, Kihara Y12, Kinoshita H13, Kuwahara K14, Murohara T15, Okazaki O16, Sakai S17, Satoh T, Takeda Y18, Takeishi Y19, Taniguchi M20, Watanabe H21, Yamamoto T22, Yamauchi-Takihara K23, Yoshioka K24, Sasayama S25 (1Chiba University, 2Nagasaki University Graduate School of Biomedical Sciences, 3 Kurume University School of Medicine, 4 Keio University School of Medicine, 5 The University of Tokyo Hospital, 6Okayama University Graduate School of Medicine, 7Toho University Omori Medical Center, 8National Cerebral and Cardiovascular Center, 9 Sapporo Medical University Hospital, 10Dokkyo Medical University School of Medicine, 11Kanazawa Medical University, 12 Hiroshima University Graduate School of Biomedical and Health Sciences, 13Kyoto University Graduate School of Medicine, 14 Shinshu University School of Medicine, 15 Nagoya

University Graduate School of Medicine, 16 National Center for Global Health and Medicine, 17Faculty of Medicine, University of Tsukuba, 18Nagoya City University Graduate School of Medical Sciences, 19Fukushima Medical University, 20Saiseikai Tondabayashi Hospital, 21Hamamatsu University School of Medicine, 22Yamaguchi University Graduate School of Medicine, 23Osaka University Graduate School of Medicine, 24Graduate School of Medicine, Tokai University, 25Uji Hospital) : Efficacy and Safety of an Orally Administered Selective Prostacyclin Receptor Agonist, Selexipag, in Japanese Patients With Pulmonary Arterial Hypertension. *Circ J.* 81(9) : 1360-1367, 2017.

14. Gamou S1, Kataoka M2, Aimi Y, Chiba T3, Momose Y, Isobe S, Hirayama T, Yoshino H, Fukuda K, Satoh T (1Kyorin University Center for Comprehensive Regional Collaboration, 2Keio University School of Medicine, 3Department of Pathology, Kyorin University School of Medicine) : Genetics in pulmonary arterial hypertension in a large homogeneous Japanese population. *Clin Genet cge.* 2017. doi: 10.1111/cge.13154.
15. Ogawa A1, Satoh T, Fukuda T2, Sugimura K3, Fukumoto Y4, Emoto N5, Yamada N6, Yao A10, Ando M6, Ogino H7, Tanabe N8, Tsujino I10, Hanaoka M11, Minatoya K9, Ito H10, Matsubara H11 (1National Hospital Organization Okayama Medical Center, 2National Cerebral and Cardiovascular Center, 3Tohoku University Graduate School of Medicine, 4Kurume University School of Medicine, 5Kobe University Graduate School of Medicine, 6Mie University Graduate School of Medicine, 7Tokyo Medical University, 8Chiba University, 9Kyoto University, 10Hokkaido University Hospital, 11Shinshu University School of Medicine, 12Okayama University Graduate School of Medicine) : Balloon Pulmonary Angioplasty for Chronic Thromboembolic Pulmonary Hypertension : Results of a Multicenter Registry. *Circ Cardiovasc Qual Outcomes.* pii : e004029, 2017. doi: 10.1161/CIRCOUTCOMES.117.004029.
16. Tamura Y1, Kumamaru H2, Satoh T, Miyata H2,3, Ogawa A4, Tanabe N5, Hatano M6, Yao A7, Abe K3, Tsujino I8, Fukuda K3, Kimura H8, Kuwana M9, Matsubara H4, Tatsumi K5 (1International University of Health and Welfare Mita Hospital, 2The University of Tokyo, 3Keio University School of Medicine, 4National Hospital Organization Okayama Medical Center, 5Graduate School of Medicine, Chiba University, 6The University of Tokyo Hospital, 7Hokkaido University School of Medicine, 8Nara Medical University, 9Nippon Medical School Graduate School of Medicine) : Japan PH Registry (JAPHR) Network. Effectiveness and Outcome of Pulmonary Arterial Hypertension-Specific Therapy in Japanese Patients With

Pulmonary Arterial Hypertension. *Circ J.* 82(1) : 275-282, 2017.

17. Isogai T1,2, Yoshikawa T1, Ueda T1, Yamaguchi T1, Imori Y1, Maekawa Y1, Sakata K1, Murakami T1, Mochizuki H1, Arao K1, Kimura A1, Nagao K1, Yamamoto T1, Takayama M1 (1Tokyo CCU Network Scientific Committee, 2Tokyo Metropolitan Tama Medical Center) : Apical Takotsubo syndrome versus anterior acute myocardial infarction: findings from the Tokyo Cardiovascular Care Unit network registry. *Eur Heart J Acute Cardiovasc Care* 2018. doi: 10.1177/2048872618762638.
18. Ueda A, Nagaoka M, Soejima K, Miwa Y, Matsushita N: Epicardial access and ventricular tachycardia ablation in postmyocarditis patient using a nonfluoroscopic catheter visualization system . *HeartRhythm Case Rep* 3(9):411-414, 2017. doi: 10.1016/j.hrcr.2017.05.003.
19. Matsushita K, Dzau VJ1 (1National Academy of Medicine): Mesenchymal stem cells in obesity: insights for translational applications. *Lab Invest.* 97(10): 1158-1166, 2017. DOI: 10.1038/labinvest.2017.42.
20. Matsushita K, Harada K1, Miyazaki T1, Miyamoto T1, Kohsaka S1, Iida K1, Tanimoto S1, Yagawa M1, Shiraishi Y1, Yoshino H, Yamamoto T1, Nagao K1, Takayama M1 (1Tokyo CCU Network Scientific Committee): Effect of Heart Failure Secondary to Ischemic Cardiomyopathy on Body Weight and Blood Pressure. *Am J Cardiol.* 120(9): 1589-1594, 2017. DOI: 10.1016/j.amjcard.2017.07.054.
21. Kongoji K, Mitarai T1, Kasahara M1, Yamazaki H1, Ishibashi Y1, Koyama K1, Yoneyama K1, Tanabe Y1, Akashi YJ1, Yoshino H (1St. Marianna University School of Medicine): Minimally invasive percutaneous transluminal renal artery stenting. *Int J Cardiol.* 252:52-56, 2018. doi: 10.1016/j.ijcard.2017.11.050.
22. Higuchi S, Kabeya Y, Kiyoe Kato : Visceral-to-subcutaneous fat ratio is independently related to small and large cerebrovascular lesions even in healthy subjects. *Atherosclerosis.* 259:41-45, 2017.